

Index

- */, 7, 62
- ++, 47
- lm, 71
- /*, 7, 62
- //, 7, 62
- #define, 14, 95, 100, 108, 235
- #if, 237
- #ifdef, 237
- #include, 7, 70, 174
- __FILE__, 236
- __LINE__, 236
- * operator, 19, 20, 91, 93, 236
- + operator, 19, 20, 236
- ++ operator, 24, 120, 230, 236
- += operator, 24, 236
- , operator, 230, 236
- operator, 19, 20, 236
- operator, 24, 230, 236
- > operator, 135, 137, 236
- . operator, 129, 137, 236
- / operator, 19, 20, 236
- < operator, 30, 236
- << operator, 230, 233, 236
- <= operator, 30, 236
- = operator, 29, 31, 58, 120, 236
- == operator, 29, 30, 120, 236
- > operator, 30, 236
- >= operator, 30, 236
- >> operator, 230, 234, 236
- ? operator, 230, 236
- [] operator, 100, 137, 236
- % operator, 19, 20, 210, 236
- & operator, 21, 90, 93, 97, 131, 230, 233, 236
- && operator, 30, 236
- | operator, 230, 234, 236
- || operator, 30, 236
- ~ operator, 230, 234
- ! operator, 30, 236
- != operator, 30, 236
- ^ operator, 234, 236
- ~ operator, 236
- %c format control, 19, 21–23, 25, 116
- %d format control, 16, 21–23
- %e format control, 23
- %f format control, 17, 21, 23
- %lf format control, 21, 23
- %o format control, 230
- %p format control, 91, 118
- %s format control, 23, 116, 118, 131
- %x format control, 230

- abs, 72
- abstraction, 63, 83, 133, 141, 174, 181
- acos, 72

- Algol, 4, 212
- algorithm, 103, 141, 183, 203–225
 - analysis, 104, 203–205
- aliasing, 92, 101
- amicable numbers, 80
- ampersand character, 21, 97
- anagrams, 128
- ANSI standard, 6, 7, 32, 34, 62, 70, 71, 100, 149
- approximation, 146, 152–156
- apps, 3
- argc, 84, 124
- argument, 64
- argv, 84, 124, 169
- array, 18, 99–125, 129, 141, 163, 197
 - address, 105, 113, 180
 - argument, 109, 131
 - assignment, 131
 - automatic, 113
 - binary output, 195
 - bounds checking, 100, 101, 108, 123
 - dynamic, 163
 - equality, 131
 - global, 113
 - initialization, 112, 116
 - large, 112, 113, 167
 - multi-dimensional, 113
 - of characters, 116
 - of files, 200
 - of linked lists, 208
 - of pointers, 123
 - of strings, 123, 124
 - of structures, 137
 - parallel, 126, 139
 - subscript, 100, 101, 111
 - two-dimensional, 109, 116, 121, 123
- ascending runs, 127, 228
- ASCII, 23, 25, 58, 119, 195, 210, 211
 - table, 60
- asin, 72
- assert, 169
- assignment statement, 8, 15, 23, 25, 31, 46, 58, 87, 93
 - for arrays, 131
 - for strings, 118
 - for structures, 131
- asymptotic cost, 204
- atan, 72
- atof, 119, 120
- atoi, 119, 120, 125, 128
- auto, 230
- average-case analysis, 105, 178, 215

- backslash character, 19
- backup, 10–12
 - off-site, 11

- base case, 74, 171, 213
- Basic, 4
- big-Oh notation, 204, 226
- binary file, 195
- binary numbers, 231
- binary search, 103, 154, 179, 206, 226
 - ternary, 226
- binary search tree, 177, 205, 207, 221
 - average depth, 178, 191
 - balanced, 191
 - deletion, 192
 - for sorting, 191
 - insertion, 177, 183
 - iterative implementation, 192
 - polymorphic implementation, 183
 - searching, 183
 - smallest item, 192
 - stick, 178
 - traversal, 187
- binary tree, 176, 221
 - height, 191
 - size, 191
- bisection method, 154, 160
- bit, 17, 90, 230
- bit manipulation, 230
- boundary case, 79
- break, 39, 55, 56, 68
- bsearch, 226
- BST, *see* binary search tree
- bucket, 210
- byte, 90, 114, 165, 195
- C
 - advantages of, 5
 - history, 5
 - preprocessor, 235, 239
- C++, 4
- calculation, 63, 141
- calculator, 5
- calloc, 164, 166
- case, 39
- cast, 19, 24, 29, 165, 180
- Celsius, 28, 43
- central processor unit (CPU), 2
- change calculation, 42, 98
- char, 19, 23, 58, 90, 112, 116, 197, 234
- char**, 123, 124, 169
- Christie, I.W., 178
- coding problem, 225
- coin toss, 149
- combinations, 80
- command-line argument, 124, 195
- comment, 7, 25, 62, 174, 237
- comparison function, 180, 182, 183, 190, 191, 216
- compiler, 7, 10, 90, 91, 108, 112
 - flags, 69, 71, 83
 - preprocessor, 235
 - warning messages, 35, 36, 88
- complex numbers, 138
- compound interest, 49, 63, 72, 81
- compound statement, 32, 46, 50
- computer
 - early, 5
 - hardware, 2, 10
 - memory, 90, 99, 231
 - software, 3
 - speed, 2, 145, 225
- computer science, 1, 103, 146, 203, 225
- const, 183, 230
- constant, 14, 25, 38, 100, 236
 - character, 19
 - double, 17, 18
 - integer, 18
 - pointer, 106, 113
 - type, 18
- continue, 230
- control structure, 8, 99
- control-C, 57
- control-D, 57, 101
- control-Z, 57
- core, 21
- core dump, 21
- cos, 72
- ctype.h, 71, 121
- cube root, 76
- curve length, 152, 160
- dangling else, 35
- data abstraction, 133, 138, 174, 220
- data structure, 99, 171
- date manipulation, 42, 47, 113
- day number in year, 42, 47
- De Morgan's laws, 31
- debugger, 238, 239
- declaration, 8, 25
 - array, 99, 101
 - function, 64
 - pointer, 91
 - structure, 129
- default, 39
- dentifier, 164
- dice roll, 149
- dictionary data structure, 205–212
- differential equation, 157
- Dijkstra, E.W., 212
- distinct words, 121, 128, 139, 163, 167, 183
- divide and conquer, 142–147, 212
- divide by zero, 20
- do, 45, 56, 60, 229
- double, 17, 18, 23, 99, 153, 164, 197, 234
- Dutch national flag, 212
- editor, 7, 9
- else, 32, 33
- empty statement, 32, 48, 49, 53, 120
- end of file, 57, 58, 101
- English, 3
- enum, 230
- EOF, 58, 121
- equality operator, 29, 34
- Erlang, 4
- errata page, ix
- escape character, 19
- Euclidean distance, 138
- Euler forward difference, 158
- exclusive or, 234
- execution time, 146, 167
- exhaustive enumeration, 145
- exit, 33, 84, 169
- EXIT_FAILURE, 33, 83

- EXIT_SUCCESS, 33, 83
- exp, 72
- exponent, 17, 18, 234, 239
- exponential growth, 146, 176
- expression, 15, 20
 - evaluation order, 31
 - logical, 29
 - pointer, 91
- extern, 230
- fabs, 72
- Fahrenheit, 28, 43
- false, 29, 32, 46
- fclose, 194, 200
- Ferrari, 103, 205
- fflush, 231
- fgets, 200
- Fibonacci numbers, 60
- field width, 23
 - negative, 23
- FIFO queue, 172
- file operations, 193–200
 - merging, 199
 - random access, 199
- FILE*, 194, 195
- flag, 55, 67, 95, 123
- float, 18, 21, 23, 112, 153, 164, 234
- floating exception, 21
- floating point precision, 17, 18, 77, 80, 153, 155, 234, 239
- fopen, 194, 195, 200
- for, 45, 52, 99, 100, 171
- format control string, 21
- Fortran, ix, 4, 6, 58, 84
- fprintf, 193, 194
- fread, 194, 195, 197
- free, 164, 166, 170, 188, 200
- Free Software Foundation, 7
- freopen, 194
- fscanf, 194
- fseek, 194, 199, 202
- ftell, 231
- full house, 160
- function, 63–79, 83–90, 236
 - argument variable, 73, 85, 88, 93, 106
 - array argument, 105, 109
 - call, 65
 - choice of arguments, 72
 - compilation, 66
 - declaration, 64, 84
 - evaluation, 65
 - library, 70, 83
 - main, 83
 - pointer, 179, 181
 - pointer argument, 93, 95
 - prototype, 66, 70, 183
 - recursive, 74, 90, 143, 145, 171, 186
 - return value, 64, 84
 - scope, 85, 88, 96
 - static, 186
 - structure arguments, 135
 - without arguments, 84
- functional language, 4, 74, 86
- fwrite, 194, 197, 239
- gambling games, 147
- garbage collection, 117
- gcc, 7, 34, 36, 69, 71, 97, 237
- gdb, 239
- generate and test, 141–142, 144, 146
- geometric sequence, 167
- getc, 194, 195
- getchar, 58, 71
- gets, 200, 229
- getword, 121, 168, 189
- goto, 230
- greedy heuristic, 147
- guard, 32, 46, 49, 53, 237
- handle to structure, 170, 171, 174, 183, 195, 209
- hashing, 207–212
 - collision resolution, 208
- Haskell, 4
- header file, 71, 183
- heap, 221
 - construction, 223
- heap sort, 220–224, 228
- helloworld.c, 6, 96
- hexadecimal number, 18, 91, 230, 239
- Hoare, C.A.R., 212
- Hooke’s law, 156
- identifier, 13, 99, 109, 134
- if, 32, 39, 53, 99
- imperative language, 4
- in-order traversal, 187, 190, 207, 221
- inf, 20, 239
- infinite loop, 49, 57
- informatics, 1
- information, 1, 203
- input buffer, 22
- insertion sort, 103, 104, 126, 144, 147, 183, 190, 191, 204, 205
- int, 16, 18, 21, 23, 90, 99, 112, 164, 195
- int_swap, 94, 98, 104
- integer
 - arithmetic, 16, 18, 20, 232
 - division, 19
 - hash value, 208
 - negative, 232
 - overflow, 16, 48, 210, 230
 - subtraction, 232
 - unsigned, 164, 232
- inversions, 127
- isalpha, 71, 121
- isascii, 71
- isdigit, 71
- islower, 71
- isspace, 71
- isupper, 71
- iteration, 45, 63, 74, 141
- Java, 4
- K&R, 5
- Kernighan, B., 5
- KISS, 10, 32
- knapsack problems, 145
- lazy evaluation, 32
- library, 70, 118

- LIFO queue, 174
- limits.h, 27
- linear search, 103, 122, 123, 170
- linked list, 141, 171, 178, 207, 208, 211, 221
 - insertion, 171, 177, 190
 - searching, 190
- Lisp, 4
- list_t, 171, 190
- log, 72
- logic-based language, 4, 74
- logical
 - and, 29, 32
 - expression, 29
 - or, 29, 32
- long, 230, 234
- long long, 234
- loop, 45–59, 104
 - body, 46, 56
 - for reading, 56
 - guard, 54, 56, 58, 118, 123
 - infinite, 49, 57
 - nested, 47, 50, 56, 63, 109
 - termination, 54, 74
- lowercase character, 60, 72
- ls, 7
- lucky, 16, 92, 101, 105, 117, 178, 214

- M_E, 72
- M_PI, 71, 72
- M_SQRT2, 72
- mac:, 7
- MacOS, 3, 7, 57, 71
- macro, 236, 239
- magic number, 15
- main, 7, 66, 69, 83, 124
 - return value, 83, 96
- make, 69, 189, 238
- malloc, 164, 165, 167, 200, 218
- man, 71, 118
- mantissa, 17, 234, 239
- mask operation, 234
- math.h, 71
- mathematics library, 70
- median, 216, 227
- memcmp, 231
- memcpy, 231
- memory, 2, 114, 123
 - allocation, 163
 - consumption, 112, 203, 224
 - leak, 117, 167, 172
 - management, 167
 - read-only, 117
 - word, 90, 99, 164, 231
- merge sort, 218–220, 224, 227, 228
- merging, 199, 218
- ML, 4
- modulus, 20
- Monte Carlo estimation, 150
- moons, 129
- multi-way tree, 192
- multiplicative operators, 19

- nan, 20, 239
- newline character, 19, 23, 50, 53, 58, 200
- Newton Raphson method, 76, 160

- non-linear equation, 154
- NULL, 123, 166
- null byte, 116, 118, 123, 124, 169, 200
- number representation, 230, 239
- numerical integration, 154

- $O()$ notation, 204, 226
- obfuscated C, 50, 120
- object file, 69
- object-oriented language, 4
- octal number, 18, 230
- od, 239
- operating system, 3, 83, 84, 95
- operator
 - arithmetic, 19
 - logical, 29
 - mask, 234
 - overloading, 233
 - precedence table, 236
 - relational, 29
 - shift, 233
 - unary, 91
- optimal algorithm, 220
- overloading, 233

- palindromes, 128
- parentheses, 19, 31, 137
- partitioning, 212, 218, 226
 - two way, 217, 227
- Pascal, 4
- perfect numbers, 80
- pig manure, 128
- pivot value, 226
- PL/1, 4
- planets, 129, 137, 177
- pointer, 90–95, 106
 - anonymous, 165, 181
 - argument, 93, 95, 135
 - arithmetic, 114
 - assignment, 114
 - comparison, 115
 - constant, 113, 117, 123, 180
 - difference, 115
 - in an array, 123
 - initialization, 92
 - null, 123
 - operations, 90
 - to a binary search tree, 183
 - to a function, 179
 - to a linked list, 171
 - to a pointer, 167
 - to an array, 105
 - variable, 91, 117, 164, 170
- poker hand, 160
- polygon, 138
- polymorphism, 176, 182, 183, 186, 189, 226, 227
- portability, 5, 164
- post-order traversal, 187
- postincrement operator, 24, 47, 120, 236
- pow, 72
- pre-reading, 57
- precedence, 19, 31, 36, 93, 109, 137
 - table, 236
- predecrement operator, 230
- preincrement operator, 24, 230, 236

- preprocessor, 235, 239
- pretty printer, 238
- prime numbers, 55, 61, 66, 141, 209
- `printf`, 7, 8, 16, 17, 22, 25, 118, 193
- printing numbers, 22
- priority queue, 220
- problem size, 204
- problem solving, 141–159
 - techniques, *see* approximation, divide and conquer, generate and test, simulation
- procedural language, 4, 86
- procedure, 84
- profiler, 238
- program
 - arguments, 124
 - development, 9, 78, 83, 175
 - layout, 15, 50
 - return value, 84, 96
 - termination, 84
- programming language, 3
- Prolog, 4
- prompt, 7, 25, 49
- pump priming, 57
- `putc`, 194
- `putchar`, 58

- `qsort`, 182, 191, 197, 217, 227
- quadratic roots, 41
- queue, 172, 190
- quick sort, viii, 212–218, 224, 226
 - pivot value, 212, 214
 - ternary, 227

- `rand`, 147, 149, 216
- `RAND_MAX`, 149
- random, 149
- random access file, 199
- randomization, 209, 216
- reading numbers, 21, 56
- `realloc`, 164, 166, 167, 211
- recurrence relation, 74, 206, 214, 218, 227
- recursion, 74, 81, 90, 127, 141, 143, 145, 186, 206, 212
 - base case, 74, 171
 - mutual, 82
- register, 230
- repeat-until, 56
- reserved word, 13, 84, 164
- return, 7, 64, 67, 73, 75, 83, 84
- Ritchie, D., 5
- root finding, 76, 154, 160
- rounding error, 17, 77, 80, 153, 156, 235
- Runge-Kutta method, 159

- scaffolding, 78, 95
- scalar variable, 99
- `scanf`, 21–23, 25, 33, 49, 57, 85, 120
- Scheme, 4
- scope, 85, 88, 96
- search tree, *see* binary search tree
- searching, 205
 - algorithm, *see* binary search, linear search
- seed, 149
- `SEEK_CUR`, 199
- `SEEK_END`, 199
- `SEEK_SET`, 199

- segmentation fault, 92, 95, 101
- selection, 32–39, 63, 141
- selection sort, 127, 144, 147
- semantics, 3
- semi-colon, 14, 15, 49, 66
- sentinel, 113, 116, 118, 123, 124
- separate chaining, 211
- separate compilation, 69, 81, 88, 174, 183, 186
- sex at noon taxes, 128
- shell expansion, 124, 195
- shift operators, 233
- short, 230, 234
- shortest path problem, 225
- side effect, 31, 58, 87, 88, 120
- sign-magnitude representation, 232
- simulation, 147–152
 - of time, 156–159
- `sin`, 72
- `size_t`, 164, 181, 190, 194
- `sizeof`, 164, 165, 181, 236
- slide rule, 5
- Smalltalk, 4
- software engineering, 1, 79, 238
- sorting, 103, 127, 147, 159, 183, 205
 - algorithm, *see* heap sort, insertion sort, merge sort, quick sort, selection sort
 - choice of algorithm, 224
 - exchanges required, 228
- source code control, 238
- spiral, 45, 54, 74, 104
- spring equation, 156
- `sprintf`, 231
- `sqrt`, 72, 85
- square root, 160
- `srand`, 147, 149
- `srandom`, 149
- `sscanf`, 231
- stack, 75, 83–85, 90, 91, 174, 190, 192
- static, 89, 186, 230
- `stdarg`, 231
- `stderr`, 193, 202
- `stdin`, 193
- `stdio.h`, 194
- `stdlib.h`, 33, 83, 119, 147, 182, 217, 226
- `stdout`, 193, 202
- stick, 178
- storage class, 89, 182, 186, 230
- `strcascmp`, 119
- `strcat`, 119, 128, 229
- `strchr`, 231
- `strcmp`, 119, 123
- `strcpy`, 119, 120, 229
- `strcspn`, 231
- stream, 193
- string, 7, 14, 116–125, 195
 - allocation, 169, 189
 - comparison, 120
 - hash function, 209
 - initialization, 117
 - library, 118
 - numeric, 120
 - pointer, 118, 120
- `string.h`, 118, 119, 123
- `strings.h`, 118
- `strlen`, 119, 128, 164, 169

- strncat, 119
- strncmp, 119
- strncpy, 119, 123, 131
- strpbrk, 231
- strrchr, 231
- strspn, 231
- strstr, 231
- strtok, 231
- struct, *see* structure
- structure, 129–137
 - argument, 135
 - array of, 137
 - assignment, 131
 - equality, 131
 - initialization, 130
 - linked, 170
 - nested, 132
 - pointer, 135
 - printing, 131
 - reading, 131
 - recursive, 171
 - sorting, 159
 - tag, 130
 - type naming, 134
- stub, 78
- subroutine, 84
- subset sum problem, 144, 160, 161
- switch, 38, 45, 56, 229
- syntax, 10, 141
- system, 231
- system software, 3

- tab character, 19
- tan, 72
- tax rates, 36
- tee, 202
- terminal, 23, 193
- testing, 78
- text file, 193
- three-*n* problem, 53, 61
- timetabling problem, 225
- tolower, 71
- toupper, 71
- towers of Hanoi, 142, 145, 146, 161
- tractor, 103, 205
- trapezoidal rule, 154, 160
- treadmill, 45, 49, 54
- tree, *see* binary tree
- tree sort, 191
- tree_t, 183, 186
- triangle numbers, 74, 81, 105
- true, 29, 32, 46, 169
- two-dimensional
 - array, 109
 - coordinates, 138
 - structure, 176
 - table, 50, 53, 63
- twos-complement representation, 232, 239
- type
 - anonymous, 181
 - conversion, 19, 24
 - declaration, 15, 64
 - for constant, 18
 - return, 64
 - user defined, 108
 - variable, 16
- typedef, 108, 111, 123, 130, 171

- ungetc, 231
- union, 230
- Unix, 3, 7, 57, 71, 84, 96, 101, 202, 226, 239
 - file redirection, 22, 193, 202
- unlucky, 16, 92, 101, 105, 178, 214
- unsigned, 210, 230, 234
- uppercase character, 60, 72

- validation, 78
- variable, 15
 - address, 21, 90, 99
 - argument, 64, 68, 73, 93
 - automatic, 90
 - global, 87, 88, 229
 - in an array, 99
 - initialization, 16, 92, 112, 130
 - local, 64, 68, 73, 85, 88
 - pointer, 90, 91, 93, 114, 170
 - shadowing, 88
 - static, 89, 91, 112
 - structure, 129
- void, 84, 165
- void*, 165, 180, 181, 183, 186, 190
- volatile, 230

- web site, ix
- while, 8, 52, 101, 171
- Williams, J.W.J., 220
- Windows, 3, 7, 57
- word count, 61
- word frequency counting, 189
- worst-case analysis, 105, 214, 218, 224

- zero, 29, 116, 169, 239
- zodiac, 191