

Index

- #define, 14, 96, 102, 110, 235
- #if, 236
- #ifdef, 236
- #include, 7, 70, 174
- __FILE__, 236
- __LINE__, 236
- * operator, 20, 92, 94, 236
- + operator, 20, 236
- ++ operator, 25, 121, 230, 236
- += operator, 25, 236
- , operator, 230, 236
- operator, 20, 236
- operator, 25, 230, 236
- > operator, 141, 142, 236
- . operator, 133, 142, 236
- / operator, 20, 21, 236
- < operator, 30, 236
- << operator, 230, 233, 236
- <= operator, 30, 236
- = operator, 29, 31, 58, 123, 236
- == operator, 29, 30, 123, 236
- > operator, 30, 236
- >= operator, 30, 236
- >> operator, 230, 234, 236
- ? operator, 230, 236
- [] operator, 102, 142, 236
- % operator, 20, 21, 210, 236
- & operator, 22, 92, 94, 98, 137, 230, 233, 234, 236
- && operator, 30, 236
- | operator, 230, 234, 236
- || operator, 30, 236
- ~ operator, 230, 234
- ! operator, 30, 236
- != operator, 30, 236
- ^ operator, 234, 236
- ~ operator, 236
- %c format control, 22, 23, 26, 119
- %d format control, 16, 22, 23
- %e format control, 23
- %f format control, 17, 18, 22, 23
- %lf format control, 22, 23
- %o format control, 230
- %s format control, 23, 24, 119, 120, 137
- %u format control, 92
- %x format control, 230

- a grim era, 132
- abs, 71
- abstraction, 63, 83, 138, 145, 174, 181
- acos, 71
- Algol, 4, 212
- algorithm, 105, 145, 183, 203–226
 - analysis, 106, 203–205
- aliasing, 93, 103

- amicable numbers, 80
- ampersand character, 22, 98
- anagrams, 132
- approximation, 150, 156–160
- argc, 84, 127
- argument, 64
- argv, 84, 127, 169
- array, 18, 101–129, 133, 145, 163, 199
 - address, 107, 115, 180
 - argument, 110, 135
 - assignment, 135
 - automatic, 115
 - binary output, 195
 - bounds checking, 102, 103, 108, 124
 - dynamic, 163
 - equality, 135
 - global, 115
 - initialization, 114, 118
 - large, 113, 115, 167
 - multi-dimensional, 114
 - of characters, 118
 - of files, 200
 - of linked lists, 208
 - of pointers, 126
 - of strings, 126, 127
 - of structures, 142
 - parallel, 130, 144
 - subscript, 102, 103, 113
 - two-dimensional, 111, 118, 123, 126
- ascending runs, 131, 228
- ASCII, 25, 26, 57, 58, 122, 195, 210, 211
 - table, 60
- asin, 71
- assert, 169
- assignment statement, 8, 15, 25, 26, 31, 46, 58, 87,
 - 94
 - for arrays, 135
 - for strings, 121
 - for structures, 135
- asymptotic cost, 204
- atan, 71
- atof, 122, 123
- atoi, 122, 123, 129, 132
- auto, 230
- average-case analysis, 178, 215

- backslash character, 19
- backup, 10–12
 - off-site, 11
- base case, 74, 171, 213
- Basic, 4
- big-O notation, 204, 226
- binary file, 195
- binary numbers, 231

- binary search, 105, 158, 206, 226
 - ternary, 226
 - binary search tree, 177, 206, 207, 218
 - average depth, 178, 191
 - balanced, 191
 - deletion, 192
 - for sorting, 191
 - insertion, 177, 185
 - iterative implementation, 192
 - polymorphic implementation, 183
 - searching, 185
 - smallest item, 192
 - stick, 178
 - traversal, 185
 - binary tree, 177, 219
 - height, 191
 - size, 191
 - bisection method, 158, 161
 - bit, 17, 91, 230
 - bit manipulation, 230
 - boundary case, 79
 - break, 39, 55, 56, 67
 - bsearch, 226
 - BST, *see* binary search tree
 - bubble sort, 105, 106, 129, 148, 151, 183, 204, 205
 - bucket, 210
 - byte, 91, 115, 165, 195
- C
- advantages of, 5
 - ANSI standard, 6, 32, 35, 70, 153
 - history, 5
 - preprocessor, 235, 239
- C++, 4
- calculation, 63, 145
 - calculator, 5, 17
 - calloc, 164, 166
 - case, 39
 - cast, 21, 25, 29, 92, 165, 181
 - Celsius, 28, 43
 - central processor unit (CPU), 2
 - change calculation, 43, 99
 - char, 19, 23, 24, 58, 91, 118, 197, 234
 - char**, 126, 169
 - Christie, I.W., 178
 - coding problem, 226
 - coin toss, 153
 - combinations, 80
 - command-line argument, 127, 195
 - comment, 6, 26, 62, 175, 237
 - comparison function, 181–183, 185, 190, 191, 217
 - compiler, 7, 9, 91, 92, 108, 114
 - flags, 69, 71, 83
 - preprocessor, 235
 - warning messages, 35, 36, 89, 90
 - complex numbers, 143
 - compound interest, 49, 63, 72, 81
 - compound statement, 32, 33, 46, 51
 - computer
 - early, 5
 - hardware, 2, 10
 - memory, 91, 101, 231
 - software, 3
 - speed, 2
 - computer science, 1, 105, 150, 203, 225
 - const, 183, 230
 - constant, 14, 15, 26, 37, 102, 235
 - character, 19
 - floating point, 19
 - integer, 19
 - pointer, 107, 115
 - type, 18
 - continue, 230
 - control structure, 8, 101
 - core, 22
 - core dump, 22
 - cos, 71
 - ctype.h, 72, 123
 - cube root, 76
 - curve length, 156, 161
- dangling else, 35
- data abstraction, 138, 142, 174, 207, 218
 - data structure, 101, 171
 - date manipulation, 42, 47, 100, 115
 - De Morgan's laws, 31
 - debugger, 237, 239
 - declaration, 8, 26
 - array, 101, 102
 - function, 64
 - pointer, 92
 - structure, 133
 - default, 39
 - dice roll, 153
 - dictionary data structure, 206–212
 - Dijkstra, E.W., 1, 213
 - distinct words, 123, 132, 144, 163, 167, 183
 - divide and conquer, 146–151, 212
 - divide by zero, 21
 - do, 45, 56, 59, 229
 - double, 18, 19, 22, 23, 157, 164, 197, 234
 - Dutch national flag, 213
- editor, 7, 9
- else, 32, 33
 - empty statement, 32, 49, 53, 121
 - end of file, 58, 103
 - enum, 230
 - EOF, 58, 123
 - equality operator, 29, 34
 - Erlang, 4
 - errata page, ix
 - escape character, 19
 - Euclidean distance, 143
 - exclusive or, 234
 - execution time, 150, 167
 - exhaustive enumeration, 149
 - exit, 33, 84, 169
 - EXIT_FAILURE, 33, 83
 - EXIT_SUCCESS, 33, 83
 - exp, 71
 - exponent, 17, 19, 234, 239
 - exponential growth, 150, 177
 - expression, 15, 21
 - evaluation order, 31
 - logical, 29
 - pointer, 92
 - extern, 230
- fabs, 71

- Fahrenheit, 28, 43
- false, 29, 32, 46
- fclose, 194, 200
- Ferrari, 105, 205
- fflush, 231
- fgets, 200
- Fibonacci numbers, 60
- field width, 23
 - negative, 24
- FIFO queue, 174
- file operations, 193–200
 - merging, 199
 - random access, 199
- FILE*, 194, 195
- flag, 55, 67, 96, 124
- float, 17, 19, 23, 101, 157, 164, 234
- floating exception, 22
- floating point precision, 17, 18, 78, 81, 157, 159, 234, 239
- fopen, 194, 195, 200
- for, 45, 53, 101, 102, 171
- format control string, 22
- Fortran, x, 4, 6, 57, 84
- fprintf, 193, 194
- fread, 194, 195, 197
- free, 164, 166, 170, 185, 200
- Free Software Foundation, 7
- freopen, 194
- fscanf, 194
- fseek, 194, 199, 202
- ftell, 231
- full house, 161
- function, 63–79, 83–91, 236
 - argument variable, 73, 86, 89, 94, 108
 - array argument, 107, 110, 111
 - call, 65
 - choice of arguments, 72
 - compilation, 67
 - declaration, 64, 84
 - evaluation, 65
 - library, 70, 83
 - main, 83
 - pointer, 179, 181
 - pointer argument, 94, 96
 - prototype, 66, 67, 70, 183
 - recursive, 74, 91, 147, 149, 171, 185
 - return value, 64, 84
 - scope, 86, 87, 97
 - static, 185
 - structure arguments, 141
 - without arguments, 84
- functional language, 4, 74, 87
- fwrite, 194, 197, 239

- gambling games, 151
- gcc, 7, 35, 68, 71, 98, 237
- gdb, 239
- generate and test, 145–146, 148, 150
- geometric sequence, 167
- getc, 194, 195
- getchar, 57, 72
- gets, 200
- getword, 124, 168, 185, 187
- goto, 230
- greedy heuristic, 151

- guard, 32, 46, 49, 54, 236

- handle to structure, 170, 171, 174, 183, 195, 209
- hashing, 207–212
 - collision resolution, 208
- Haskell, 4
- header file, 71, 183
- heap, 218
 - construction, 220
- heap sort, 218–222, 228
- helloworld.c, 6, 97
- hexadecimal number, 19, 230, 239
- Hoare, C.A.R., 212

- identifier, 13, 101, 139
- if, 32, 39, 54, 101
- imperative language, 4
- in-order traversal, 185, 190, 207, 218
- inf, 21, 239
- informatics, 1
- information, 1, 203
- input buffer, 22
- insertion sort, 131, 191
- int, 16, 19, 22, 23, 91, 101, 164, 195
- int_swap, 95, 99, 106
- integer
 - arithmetic, 16, 19, 20, 232
 - division, 20
 - hash value, 208
 - negative, 232
 - overflow, 16, 48, 210, 230
 - subtraction, 232
 - unsigned, 92, 164, 232
- inversions, 131
- isalnum, 123
- isalpha, 72, 123
- isascii, 72, 123
- isblank, 123
- isdigit, 72, 123
- islower, 72, 123
- isprint, 123
- ispunct, 123
- isspace, 72, 123
- isupper, 72, 123
- iteration, 45, 63, 74, 145

- Java, 4

- K&R, 5
- Kernighan, B., 5
- KISS, 10, 32
- knapsack problem, 149

- lazy evaluation, 32
- library, 70, 121
- LIFO queue, 174
- linear insertion sort, 131
- linear search, 105, 124, 125, 170
- linked list, 145, 171, 178, 207, 208, 212, 218
 - insertion, 172, 177, 190
 - searching, 190
- Lisp, 4
- list_t, 171, 190
- log, 71
- logic-based language, 4, 74

- logical
 - and, 29, 32
 - expression, 29
 - or, 29, 32
- long, 230, 234
- long long, 234
- loop, 45–58, 106
 - body, 46, 56
 - for reading, 57
 - guard, 54, 56, 57, 121, 123
 - infinite, 49
 - nested, 47, 50, 56, 63, 111
 - termination, 54, 75
- lowercase character, 60, 72
- ls, 7

- M_E, 71
- M_PI, 71
- M_SQRT2, 71
- macro, 236, 239
- main, 7, 67, 69, 83, 127
 - return value, 83, 97
- make, 69, 238
- malloc, 164, 165, 167, 200, 222
- man, 71, 121
- mantissa, 17, 234, 239
- mask operation, 234
- math.h, 70
- mathematics library, 70
- median, 216, 227
- memcmp, 231
- memcpy, 231
- memory, 2, 115, 126
 - allocation, 163
 - consumption, 203, 225
 - leak, 120, 167, 172
 - management, 167
 - read-only, 120
 - word, 91, 101, 164, 231
- merge sort, 222–225, 228
- merging, 199, 222
- ML, 4
- modulus, 20
- Monte Carlo estimation, 154
- moons, 133
- multi-way tree, 192
- multiplicative operators, 20

- nan, 21, 239
- newline character, 19, 24, 50, 54, 57, 200
- Newton Raphson method, 76, 162
- non-linear equation, 158
- NULL, 127, 166
- null byte, 118, 121, 124, 127, 169, 200
- number representation, 230, 239
- numerical integration, 158

- $O()$ notation, 204, 226
- obfuscated C, 50, 121
- object file, 69
- object-oriented language, 4
- octal number, 19, 230
- od, 239
- operating system, 3, 83, 84, 96
- operator
 - arithmetic, 20
 - logical, 29
 - mask, 234
 - overloading, 233
 - precedence table, 236
 - relational, 29
 - shift, 233
 - unary, 92
- optimal algorithm, 224
- overloading, 233

- palindromes, 131
- parentheses, 20, 31, 142
- partitioning, 212, 222, 227
 - two way, 218, 227
- Pascal, 4
- perfect numbers, 80
- pivot value, 227
- PL/1, 4
- planets, 133, 142, 177
- pointer, 91–96, 107
 - anonymous, 165, 181
 - argument, 94, 96, 141
 - arithmetic, 115
 - assignment, 116
 - comparison, 116
 - constant, 115, 119, 127, 180
 - difference, 116
 - in an array, 126
 - initialization, 92
 - null, 127
 - operations, 92
 - to a binary search tree, 183
 - to a function, 179
 - to a linked list, 171
 - to a pointer, 169
 - to an array, 107
 - variable, 92, 119, 164, 170
- poker hand, 161
- polygon, 143
- polymorphism, 176, 182, 183, 185, 226, 227
- portability, 5, 164
- post-order traversal, 185
- postincrement operator, 25, 47, 121, 236
- pow, 71, 72
- pre-reading, 57
- precedence, 20, 31, 36, 94, 111, 142
 - table, 236
- predecrement operator, 230
- preincrement operator, 25, 230, 236
- preprocessor, 235, 239
- pretty printer, 238
- prime numbers, 55, 62, 67, 145, 209
- printf, 7, 16, 17, 23, 26, 121, 193
- printing numbers, 23
- priority queue, 218
- problem size, 204
- problem solving, 145–160
 - techniques, *see* approximation, divide and conquer, generate and test, simulation
- procedural language, 4, 87
- procedure, 84
- profiler, 237
- program
 - arguments, 127

- development, 9, 78, 83, 175
- layout, 15, 50
- return value, 84, 97
- termination, 84
- programming language, 3
- Prolog, 4
- prompt, 7, 26, 49, 67
- pump priming, 57
- putc, 194
- putchar, 57

- qsort, 183, 191, 197, 218, 227
- quadratic roots, 41
- queue, 174, 190, 207
- quick sort, viii, 212–218, 222, 227
 - pivot value, 212, 214
 - ternary, 227

- rand, 151, 153, 216
- RAND_MAX, 153
- random, 153
- random access file, 199
- randomization, 209, 216
- reading numbers, 22, 57
- realloc, 164, 166, 167
- recurrence relation, 74, 207, 214, 224, 227
- recursion, 74, 81, 91, 130, 145, 147, 149, 185, 206, 212
 - base case, 75, 171
 - mutual, 82
- register, 230
- repeat-until, 56
- reserved word, 13, 164
- return, 7, 64, 67, 73, 75, 83, 84
- Ritchie, D., 5
- root finding, 76, 158, 162
- rounding error, 17, 18, 78, 81, 157, 160, 235

- scaffolding, 78, 96
- scalar variable, 101
- scanf, 22, 23, 26, 33, 49, 57, 85, 123
- Scheme, 4
- scope, 86, 87, 97
- search tree, *see* binary search tree
- searching, 206
 - algorithm, *see* binary search, linear search
- seed, 153
- SEEK_CUR, 199
- SEEK_END, 199
- SEEK_SET, 199
- segmentation fault, 93, 96, 103
- selection, 32–40, 63, 145
- selection sort, 130, 148, 151
- semantics, 3
- semi-colon, 15, 49, 67
- sentinel, 114, 118, 127
- separate chaining, 212
- separate compilation, 68, 81, 87, 174, 183, 185
- sex at noon taxes, 132
- shell expansion, 128, 195
- shift operators, 233
- short, 230, 234
- shortest path problem, 225
- side effect, 31, 58, 87, 89, 121
- sign-magnitude representation, 232

- simulation, 151–156
- sin, 71
- size_t, 164, 182, 190
- sizeof, 164, 165, 182, 236
- slide rule, 5
- Smalltalk, 4
- software engineering, 1, 79, 238
- sorting, 105, 131, 151, 160, 183, 205
 - algorithm, *see* bubble sort, heap sort, insertion sort, merge sort, quick sort, selection sort
 - choice of algorithm, 225
 - exchanges required, 228
- source code control, 237
- spiral, 45, 54, 75, 106
- sprintf, 231
- sqrt, 71, 85
- square root, 161
- srand, 151, 153
- srandom, 153
- sscanf, 231
- stack, 75, 83, 84, 86, 91, 92, 174, 190, 192, 207
- static, 90, 185, 230
- stdarg, 231
- stderr, 193, 202
- stdin, 193
- stdio.h, 72, 194
- stdlib.h, 33, 83, 122, 151, 183, 218, 226
- stdout, 193, 202
- storage class, 90, 183, 185, 230
- strcasecmp, 122
- strcat, 122, 132
- strchr, 231
- strcmp, 122, 124
- strcpy, 121, 122, 124, 135
- strcspn, 231
- stream, 193
- string, 7, 14, 118–129, 195
 - allocation, 169, 187
 - comparison, 123
 - hash function, 209
 - initialization, 119, 126
 - library, 121
 - numeric, 123
 - pointer, 120, 123
- string.h, 122, 124
- strlen, 122, 132, 165, 169
- strncat, 122
- strncmp, 122
- strncpy, 122
- strpbrk, 231
- strrchr, 231
- strspn, 231
- strstr, 231
- strtok, 231
- struct, *see* structure
- structure, 133–142
 - argument, 139
 - array of, 142
 - assignment, 135
 - equality, 135
 - initialization, 134
 - linked, 170
 - nested, 137
 - pointer, 141

- printing, 137
- reading, 137
- recursive, 171
- sorting, 160
- tag, 134
- type naming, 139
- stub, 78
- subroutine, 84
- subset sum problem, 148, 161, 162
- switch, 37, 45, 56, 229
- syntax, 9, 145
- system, 231
- system software, 3

- tab character, 19
- tan, 71
- tax rates, 36
- tee, 202
- terminal, 23, 193
- testing, 78
- text file, 193
- three-*n* problem, 53, 61
- timetabling problem, 225
- tolower, 72
- toupper, 72
- towers of Hanoi, 146, 149, 150, 162
- tractor, 105, 205
- trapezoidal rule, 158, 161
- treadmill, 45, 49, 54
- tree, *see* binary tree
- tree sort, 191
- tree_t, 183, 185
- triangle numbers, 74, 81
- true, 29, 32, 46, 169
- two-dimensional
 - array, 111
 - coordinates, 143
 - structure, 177
 - table, 50, 54, 63
- twos-complement representation, 232, 239
- type
 - anonymous, 181
 - conversion, 21, 25
 - declaration, 15, 64
 - for constant, 18
 - return, 64
 - user defined, 108
- typedef, 108, 113, 124, 134, 171

- ungetc, 231
- union, 230
- Unix, 3, 7, 84, 97, 103, 202, 226, 239
 - file redirection, 22, 62, 193, 202
- unsigned, 210, 230, 234
- uppercase character, 60, 72

- validation, 79
- variable, 15
 - address, 22, 91, 92, 101
 - argument, 64, 67, 73, 94
 - automatic, 91
 - global, 87, 88, 229
 - in an array, 101
 - initialization, 16, 92, 114, 134
 - local, 64, 67, 73, 86, 87
- pointer, 91, 92, 94, 115, 170
- shadowing, 89
- static, 90, 92, 114
- structure, 133
- vice, 7
- void, 84, 165
- void*, 165, 181, 183, 185, 190
- volatile, 230

- web site, ix
- while, 7, 53, 103, 171
- Williams, J.W.J., 218
- Windows, 3, 7
- word count, 61
- word frequency counting, 185
- worst-case analysis, 107, 214, 218, 222

- zero, 29, 118, 169, 239
- zodiac, 191