

Methodological Standards in Accessibility Research on Motor Impairments: A Survey

ZHANNA SARSENBAYEVA, The University of Melbourne, Australia

NIELS VAN BERKEL, Aalborg University, Denmark

EDUARDO VELLOSO, The University of Melbourne, Australia

JORGE GONCALVES, The University of Melbourne, Australia

VASSILIS KOSTAKOS, The University of Melbourne, Australia

The design and evaluation of accessibility technology is a core component of the Computer Science landscape, aiming to ensure that digital innovations are accessible to all. One of the most prominent and long-lasting areas of accessibility research focuses on motor impairments, deficiencies that affect the ability to move, manipulate objects, and interact with the physical world. In this survey paper, we present an extensive overview of the last two decades of research into accessibility for people with motor impairments. Following a structured selection process, we analysed the study details as reported in 177 relevant papers. Based on this analysis, we critically assess user representation, measurement instruments, and existing barriers that exist in accessibility research. Finally, we discuss future directions for accessibility research within the Computer Science domain.

CCS Concepts: • **Human-centered computing** → **Empirical studies in accessibility**.

Additional Key Words and Phrases: Accessibility, motor impairments, motor-impaired users, methodology

1 INTRODUCTION

Clicking, pointing, and dragging are fundamental to interacting with computers, and most of us take them for granted. Yet, according to the WHO, 15% of the world's population has been diagnosed with motor impairments [172], which makes it challenging to interact with technology. For example, in the United States this number is estimated to be 39 million [4]. Often, these impairments are a result of spinal cord injuries, degenerative nerve and muscle diseases, stroke, or missing upper limbs [223]. Through a survey of 20 years of accessibility research, ranging from 2000 to 2020, we summarise the research methodologies that have been developed to study motor-impaired users, *i.e.*, those with deficiencies that affect their ability to move, manipulate objects, and interact with the physical world. Our survey provides a much-needed overview of methodological concerns and standards that exist in accessibility research in studies with users with motor impairments. Concretely, our paper provides a systematic review of methodological approaches to conduct accessibility research for motor impairments. To the best of our knowledge, this is the first paper to focus on methodological aspects researching motor impairments, whereas existing surveys on motor impairments focus on technological solutions designed to assist people with motor impairments [192, 226].

Authors' addresses: Zhanna Sarsenbayeva, zhanna.sarsenbayeva@unimelb.edu.au, The University of Melbourne, Australia; Niels van Berkel, nielsvanberkel@cs.aau.dk, Aalborg University, Denmark; Eduardo Velloso, eduardo.velloso@unimelb.edu.au, The University of Melbourne, Australia; Jorge Goncalves, jorge.goncalves@unimelb.edu.au, The University of Melbourne, Australia; Vassilis Kostakos, vassilis.kostakos@unimelb.edu.au, The University of Melbourne, Australia.

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than the author(s) must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from permissions@acm.org.

© 2022 Copyright held by the owner/author(s). Publication rights licensed to ACM.

0360-0300/2022/6-ART1 \$15.00

<https://doi.org/10.1145/3543509>

By following robust methodological standards, the accessibility research community can ensure that the generated outcomes will subsequently lead to the design and creation of high-quality technological solutions that address the needs of motor-impaired users. Effectively addressing the needs of permanently impaired users in designing technology is crucial for a number of reasons. Abascal and Nicolle [6] state that people with permanent impairments are more likely to have a higher dependence on computers, because digital tools offer vital support in personal and professional communication, control over their environment, assisted mobility, and access to services. As a result, digital exclusion for permanently impaired users can lead to a restricted socially active and independent lifestyle [6]. Furthermore, there exist untapped financial incentives, since people with disabilities control a large amount of annual discretionary income (e.g., \$220 billion in the US alone) [191]. Moreover, due to the growth of our ageing populations, particularly in the Western world [3], “*enabling accessible technology is a growth opportunity*” [30]. Finally, designing for inclusion is supported by many legal acts. This includes, but is not limited to, Section 508 of the Rehabilitation Act of 1973 and Americans with Disabilities Act (ADA) in the US and The European Accessibility Act in Europe.

Our results show a recent shift in focus from desktop computers towards smartphones and wearables in devices used in studies with motor-impaired participants. Our results also show that there is a significant difference in device prevalence depending on the type of the study with eye-trackers being more common for the lab studies, while other equipment are more prevalent in field studies. Our results further identify common tasks and measure variables used to quantify user’s functional capabilities in accessibility research in motor impairments. Furthermore, our findings highlight that the average sample size is significantly greater in studies conducted with participants from a mixed participant group that includes both able-bodied and motor-impaired participants, as compared to the studies conducted strictly with motor-impaired participants. We further demonstrate that lab studies are more likely to recruit able-bodied participants, whereas field studies have a higher chance to involve motor-impaired participants. Finally, we discuss opportunities for new research directions for the field of accessibility when developing solutions for motor-impaired users, such as the creation of novel modelling techniques to avoid longitudinal experiments, or accounting for user’s individual characteristics to provide a more custom-made user experience when interacting with technology.

2 BACKGROUND

Newell and Gregor [166] argue that when designing technological solutions it is necessary to consider the characteristics of all potential users. This way of thinking grew in prominence towards the end of the twentieth century, when different computer manufacturing companies, such as Sun and Microsoft, introduced their ‘accessibility programs’. These programs were directed towards the design of accessible applications to support people with different permanent impairments [166]. Several factors have pushed these developments, including demographic trends (ageing population), legislative acts across different countries on the accessibility of computer technology for people with disabilities [166], and a larger focus on accessibility research within academia. Within the HCI community, Ben Schneiderman introduced the idea of accounting for accessibility in HCI research in 1986 [2, 165]. At the InterCHI’93 keynote ‘CHI for Everyone’, Alan F. Newell emphasised the importance of taking into account the full diversity of the user population in HCI research [165]. Since then, accessibility research has established itself as one of the key research areas within the HCI community. The wide range of methods, techniques, and tools that have been developed in the field of HCI provide a rich background for the design of interactive technologies for people with disabilities [6]. Further, HCI has a rich tradition in user-centred design that encourages learning about the users and their characteristics [166], which provides an opportunity to employ HCI methods in the design of accessible technology.

As an ultimate goal of HCI is to implement successful human computer interaction, Keates and Clarkson [114] state that in order to develop a solution for a wide range of user capabilities (e.g., sensory, cognitive, motor), it is

necessary to understand how they interact with technology. Over two decades ago, Vanderheiden [240] outlined three paths to address the challenge of performing effective human-computer interaction: 1) by changing the user, 2) by providing the user with tools that can complement user needs, and 3) by changing the environment. These suggestions have later been implemented in different design approaches aimed at creating accessible technologies.

2.1 Design Approaches

Within the domain of accessibility research, different design approaches have emerged – all of which aim to enhance the accessibility of technology. In this section we describe the main design approaches that are either directly or indirectly related to HCI.

2.1.1 Assistive Technology. This design approach took a fast-track development in the post-war era, with a predominant focus on fitting a ‘non-standard’ user to ‘standard’ technology [252]. The main challenge of this design principle is the assumption of an ‘immutable’ environment which cannot be changed or adapted [252]. Assistive technology is designed specifically for people with a particular impairment in mind. As such, the presented solutions are optimised for that impairment [240], with the purpose of increasing end-user independence and improving quality of life [39].

Assistive technology has faced high rejection rates from users as they can feel stigmatised due to device aesthetics and social acceptance [218, 240, 252]. Furthermore, assistive technology products are typically more expensive than their off-the-shelf mass market technology counterparts [240]. Similarly, Choi et al. [32] state that assistive technology creates niche markets, thus driving technological segregation and the aforementioned increase in costs for assistive technology. Another challenge facing assistive technology is the inability to keep up with the advancements in mass-market technology [240]. For example, it often takes several delays for OS updates to reach assistive technology products as compared to their more mainstream counterparts [32].

2.1.2 Rehabilitation Engineering. This design approach emerged around the same period as assistive technology, with surgeons recommending a multidisciplinary scientific and engineering approach in rehabilitation [39, 186]. Similar to assistive technology, rehabilitation engineering focuses on supporting specific needs and constraints of a unique individual [39]. Furthermore, the focus of rehabilitation engineering often involves the creation of custom add-on devices and machines specifically for rehabilitation purposes [252]. Similar to assistive technology, limitations of this approach include high cost and time investments associated with development and maintenance of such technology.

2.1.3 Universal Design. The limitations observed in assistive technology and rehabilitation engineering approaches resulted in the universal design approach [240, 252]. Universal design follows a ‘one-size-fits-all’ principle and aims to design flexible technological solutions that can be used by users of all abilities [240, 252]. In contrast to the assistive technology approach, universal design removes the stigma from the technology by allowing users with permanent impairments to use ‘off-the-shelf’ technology [240]. However, this feature of universal technology comes at a cost, as the price of universally designed products is typically higher due to the added complexity; however, it is important to note that its price does not depend on the user’s abilities, in contrast with assistive technology [240].

2.1.4 Universal Usability. Shneiderman [219] suggested universal usability as a design approach in order to encompass both accessibility and usability. According to Shneiderman [219], “*access is not sufficient to ensure successful usage*”. The aim of universal usability is therefore to design interfaces usable by the widest range of users regardless of their abilities [219, 252]. Similar to universal design, universal usability eventually aims at creating ‘one-size-fits-all’ solutions without considering one specific disability [239, 252].

2.1.5 Inclusive Design. This design approach mainly focuses on the factors that lead to ‘design exclusions’ that may occur due to biases and assumptions about user abilities [114, 252]. Consequently, Keates and Clarkson [114] argue that in order to support inclusive design, it is necessary to understand both end-users, as well as the tools and techniques available for designing inclusive solutions. A key element of inclusive design is the availability of ‘timely’ knowledge about the end-user, which is then translated into a design concept through numerous cycles of prototype development and testing [114]. This way the designers will minimise biases that may arise due to their own needs, capabilities, and skills [114]. However, one of the main challenges of the inclusive design approach is defining how much information and knowledge about the end-user is sufficient, avoiding information overload that often leads to ineffective design practices [114]. This challenge is identified as the main reason why inclusive design does not scale in terms of accommodating the needs of every individual whose capabilities are different from the established norm [252].

2.1.6 Ability-Based Design. This design principle considers the abilities of the user as its central focus Wobbrock et al. [252]. To be precise, ability-based design shifts the burden of change on the system, not the user [252]. An ability-based system supports end-user interaction without requiring them to alter their bodies, knowledge, or behaviour. Ability-based systems adapt their interface according to the context or user performance [252]. Although ability-based design does not necessarily pursue a goal of automatic adaptation to support user needs, recent achievements in personalised interface adaptations to surrounding context can support further advancement of ability-based design [252]. Furthermore, the adaptations remain visible to the user and can be changed at any time as required [252]. Finally, ability-based systems are encouraged to be cost-effective, and use readily available off-the-shelf hardware and software to remove barriers that might occur due to complexity, configuration, and maintenance of system components [252]. Nevertheless, ability-based design faces several issues that need to be addressed in order to implement successful ability-based solutions. These barriers include accurate and reliable quantifying of end-user performance, context sensing, and modelling of user abilities [252].

Each of the aforementioned design approaches has their own unique advantages and disadvantages, and it is inherently important for HCI researchers to find a suitable trade-off when choosing the most feasible design approach for creating accessible technological solutions. For example, Vanderheiden [240] suggests to employ a combination of universal design and assistive technology by using universal design wherever possible and commercially practical, while using assistive technology wherever necessary and advantageous to the user.

2.2 Methodological Concerns in HCI and Accessibility Research

Methodological trade-offs are a key discussion point within the HCI and Accessibility communities. While discussion of all methodological concerns is out of scope for this paper, we discuss the related work on two especially critical methodological aspects: study participants and study environments.

2.2.1 Participants. Participant populations and the degree to which they represent different user groups is an important factor in relation to the generalisability of results [214]. Furthermore, it is crucial to include representative users in Accessibility research studies in order to understand their needs during usability studies and controlled experiments [214]. Moreover, prior work has shown that including non-representative users might lead to inaccurate conclusions [214, 215, 243]. For example, Sears et al. [215] demonstrate that, unlike able-bodied participants, users with motor impairments interrupted their dictation during vocal text entry significantly more often – resulting in a different set of commands.

Participants from different user groups also behave differently during user studies, which leads to differences in both the performance as well as the strategies employed by participants [243]. For instance, in a study by Ferres et al. [52], visually-impaired participants used different navigation strategies when conveying knowledge about graphs from audio information, used twice as many commands to complete the task, and checked the

starting point more often as compared to blindfolded sighted peers. Therefore, Sears and Hanson [214] argue that while preliminary evaluations can use participant from a non-representative user groups, studies that are eventually archived at publication venues should include representative users.

Sears and Hanson [214] also emphasise the importance of control groups in accessibility research experiments. The authors argue that the presence of control groups might provide valuable information on the effectiveness and efficiency of certain technologies or intervention techniques. Control groups allow researchers to eliminate uncertainties in results that might arise when participants are drawn from only one user group; in other words, by adding control groups to the studies, researchers can assess whether certain results hold among different user groups [214]. Nevertheless, performance of these control groups should not be taken as a standard for comparing different user groups, again due to the fact that people with different abilities might behave differently in their strategy to approach certain study tasks [214].

2.2.2 Study environment. Within the HCI community there exists a long-lasting and ongoing debate on the advantage and disadvantages of laboratory and field-based studies. Researchers in favour of field studies argue that lab studies fail to capture the complexities and richness of the real world [72, 121, 199]. However, at the same time, some prior work argues that lab studies can be as effective as field studies for system evaluations. For example, Kjeldskov et al. [122] presented a comparative study where a mobile system’s usability was evaluated in the field (hospital) and in a lab environment (simulated hospital). According to the authors’ results, the lab evaluation was able to identify almost the exact same usability problems as the field evaluation; and, hence, demonstrate that simulating context in the laboratory settings can be equally useful in identifying usability problems [122].

The main difference between lab and field studies is that lab studies mostly focus on evaluating certain solutions and typically involve empirical manipulations and control of the environment. Hence, lab studies are suitable for usability evaluations when it is needed to optimise “*the certainty of the outcomes through a controlled experimentation*” [237]. While, field studies aim at obtaining a complete “*understanding of the application domain of the development effort*” [237] and show how people understand and use technology in their own terms and for particular situated purposes [127]. It has previously been shown that field studies are commonly used in three situations: 1) to observe and understand HCI professionals in the field, 2) to understand users working with emerging technology, and 3) as a starting point to design novel interactions [237].

While lab studies are excellent at identifying usability problems, they perform poorly in understanding context of use [199]. It is therefore important to conduct field studies as we need to understand how technology is used and adapted in real world settings [121, 199]. Furthermore, Kuutti and Bannon [127] argue that real-life scenarios should be studied where they occur, *i.e.*, in a naturalistic setting, as laboratory studies aimed at gathering knowledge on how certain interfaces are used have limited applicability [127, 229]. Hence, field study research should be focused to better reflect the complexity of HCI in a real world setting [199]. As there is no clear answer as to whether lab studies are better than field studies, Kjeldskov and Skov [121] suggest that HCI researchers should rather focus on *when* and *how* to conduct lab or field studies. The authors also suggest that HCI researchers should run ‘truly wild and longitudinal’ field studies to fully embrace real world settings [121].

Given the growing importance of accessibility research, this paper aims to quantify and increase our understanding on the methodological decisions made by accessibility researchers investigating motor-impairments. By providing an overview of the strengths and weaknesses in our research practices, we hope to support the further development of accessibility research, which can lead to the development of better assistive technology.

3 METHODOLOGY

We conducted an extensive systematic literature review on studies aiming to enhance the accessibility of technology for motor-impaired users. We conducted our search on two main digital libraries in the computer science

domain that provide a rich overview of peer-reviewed articles in our research community – (*ACM Guide to Computing Literature* (hereafter, ACM Digital Library) and *IEEE Xplore*). Our search query was conducted using an ‘inclusive or’ for the terms “motor impairments”, “motor-impaired users”, “motor disabilities” combined with an “and” operator for the terms “accessibility” and “design” subsequently to ensure that the search returns papers conducted in the accessibility domain of the HCI research. Furthermore, our search was run on both full-text and metadata of the publication (*e.g.*, title, abstract, keywords) to ensure we have a thorough and complete overview of articles published in this research domain. In addition, we restricted our search to consider publications between 2000 and 2020 to: 1) guarantee a focus on modern technology, and 2) examine the changes in conducting accessibility research over a period of two decades.

In total our search query returned 966 papers from both the ACM Digital Library and IEEE Digital Library. Each of these papers was analysed individually by one of the authors of this literature survey according to the inclusion criteria. First, we identified and excluded extended abstracts papers (*e.g.*, poster, workshop, tutorial) from the list of 966 papers resulting in 752 papers. We then manually analysed each publication and excluded the papers ($N = 128$) that were not relevant to motor impairments, but some other impairments (*e.g.*, visual, cognitive). We also excluded publications ($N = 559$) that were not directly relevant to motor impairments but mentioned the applicability of the technology/study/etc for motor impairments in the ‘future work’ or ‘discussion’ sections of the publications. We also excluded papers that look at the combination of the impairments (*e.g.*, autism resulting in motor impairments). Finally, we removed papers that did not report empirical studies ($N = 33$). Following this curation strategy, we identified a total of 177 relevant papers that we explore in this literature survey.

4 RESULTS

We analysed the number of papers published between 2000 and 2020, and found that the number of studies is substantially higher in the second decade (2011–2020) than the first (2000–2010) – see Figure 1.

Our analysis identified 177 papers totalling 228 studies. There is an average of 1.3 studies reported on each paper (in line with local HCI standards reported previously [24]), with the large majority of papers having 1 study (135), 33 papers with 2 studies, and 9 papers with 3 or more studies. A full overview of the studies and their details can be found in Table ?? in Appendix. In our subsequent analysis, we assess and report on each study rather than on each paper in order to capture the specifics of each study contribution.

4.1 Devices Used in the Studies

We started by examining the type of devices used in the different studies. Typically these devices were used to evaluate accessible solutions (*i.e.*, interfaces, apps) for motor-impaired users. From our analysis we discovered that starting from Year 2000 up until recent years, the majority of studies (73 in total, 41.2%) were focused on building accessible solutions for desktop computers; however this interest of the community has decreased in the past few years. In addition, 16 studies (9.0%) developed accessible solutions for desktops using an eye-tracker. The growing popularity of mobile devices has led to a shift in focus within motor-impaired accessibility research. For example, 12.4% of all studies (22 out of 177) focused on developing accessible interfaces for smartphones, 5.1% of studies (9 in total) worked on creating accessible interfaces for tablets, many of which were conducted in recent years. Furthermore, it is worth noting that wearables have been increasingly used in the past decade resulting in the total of 18 studies (10.2%). Finally, a fair amount of other technology is used for accessible research. According to our analysis, a total of 39 studies (22.1%) used other technology including but not limited to wheelchair joysticks, various consoles and haptic devices, human-robot interfaces, and tabletops. A summary of these results is presented in Figure 1.

We then examined the category of devices marked as ‘other’ in more detail. Out of 39 studies that have developed accessible interfaces for other technology, 10 papers worked on enhancing the accessibility of wheelchairs (*e.g.*,




Fig. 1. Device prevalence in analysed studies

input for wheelchairs) [25, 27, 67, 69, 150, 154, 155, 213, 235, 254], 5 papers worked on motion sensing devices (e.g., Kinect, LeapMotion) [41, 111, 126, 144, 206], 3 papers with game consoles (e.g., Nintendo Wii) [40, 88, 95], and 2 papers worked with tabletops [13, 140]. Furthermore, some studies developed new interfaces, including creation of haptic devices (4 papers) [93, 123, 128, 205], prosthetic arm (1 study) [92], and 1 universal interface that can be used for mobile devices, game consoles, and eye-trackers [236]. Furthermore, 7 papers created human-robot interfaces to assist motor-impaired users [17, 43, 46, 99, 108, 116, 196].

4.2 Study Parameters

Based on the information available in the publications, we identify common study parameters in motor-impairments research studies.

A large portion of the studies (79 out of 228, 34.6%) was conducted in a laboratory environment, 59 studies (25.9%) were field studies (e.g., participants' home, care centre, hospital). Unfortunately, the remaining 90 studies (39.5%) did not explicitly state whether the study was conducted in a laboratory or field settings; however, from the context of the papers the reader can sometimes infer if the study was either a field study or was conducted in the lab. Nevertheless, as it was not obvious to us how to determine the type of the study from the papers, we did not classify them in this survey. These findings are summarised and presented in Figure 2.

We then examined the type of analysis conducted in the selected studies. A total of 104 studies (45.6%) employed a mixed-method analysis in their study, whereas 29% of the studies (66) used purely quantitative approach and 58 studies (25.4%) utilise a purely qualitative data analysis approach. Our results show that the number of studies that employ quantitative analysis is greater than the number of studies that use qualitative analysis. Similar trend has been reported in local HCI standards reported by Caine [24].




Fig. 2. Studies overview

We followed-up by analysing the study duration of the published studies. To keep consistency in our data, we decided to classify the duration of the studies as follows: short one-day study (*e.g.*, 45-minute-long experiment) vs. a longitudinal study (*e.g.*, study conducted over the course of several days). Furthermore, some studies reported their duration in sessions, *e.g.*, 5 sessions 1 hour long each. Therefore, to simplify the analysis of study duration we assumed 1 session to be a 1-day-long experiment; hence, if the study reported 8 sessions, we considered it to be an 8-day study. The average duration of a study is $M = 5$ days with a standard deviation of $SD = 21$, and a median of $M = 1$ day. A total of 173 studies (75.9%) report a short one-day study, whereas 47 papers (20.6%) report conducting a longitudinal study that continued for several weeks. Unfortunately, in some cases we were not able to determine if a study was longitudinal or not (8 studies, 3.5%).

4.2.1 Baseline details. Next we analysed the baseline details of the studies presented in this literature survey. The majority of studies (123, 54.0%) either do not report baseline details they used in the experiment (21, 9.2), or it was not relevant to have a baseline condition in the study (102, 44.8%), *e.g.*, if the study was focused on eliciting gestures to interact with technology, *e.g.*, [241]. The remaining 105 studies (46%) described their baseline information with 47 out 228 studies (20.6%) report using conventional technology, *e.g.*, [163], or an existing method, *e.g.*, [246], as a baseline condition, *e.g.*, a regular computer keyboard vs. custom-built text entry interface. Furthermore, 28 studies (12.3%) did not have a baseline *per se*, but compared different conditions between each other. In addition, another 14 studies (6.1%) used a controlled interaction method for a baseline, *e.g.*, speech input vs. custom-designed interaction technique. Interestingly enough, 15 studies (6.6%) used performance of the able-bodied participants as the baseline. Finally, 1 study (0.4%) used performance reported in external studies as their baseline condition [197].

4.2.2 Study tasks. We then analysed the type of tasks used in the studies in order to understand if there are established standards for quantifying performance of participants. 23 of 228 (10.1%) studies did not quantify participants performance using tasks, usually these studies based their results on either interviews or surveys. The remaining 205 studies reported using at least one task to quantify the performance of participants. As the naming of the tasks across the studies was quite diverse, we grouped the tasks according to their similarities. Two authors of the paper categorised the tasks from the entire dataset according to their similarities. This way we grouped tapping, selecting and clicking tasks under “target acquisition”. Similarly, if the participants had to perform any tasks to change or work with the interface of the technology, we grouped them under “interface manipulation”. Other groups that emerged after our categorisation are “physical exercise activity” – for the tasks where participants were asked to perform a physical activity (e.g., walk in a straight line), “hand manipulation” (e.g., close and open the wrist) – for the tasks where participants had to perform any sort of hand manipulation, and “playing games” – for the studies where participants had to play a game. This categorisation revealed a taxonomy with 34 tasks that were used across the 205 studies that measure functional capabilities of participants. The complete list of the tasks is presented in Table 1. We then calculated Cohen’s kappa [146] to examine the interrater reliability, which showed strong agreement between the raters ($\kappa = 0.90, p < 0.01$). The games were quite diverse in the studies; therefore, we did not specify categorisation according to the game type. Furthermore, the tasks that required completing daily online tasks, such as sending an email, checking for weather, taking pictures, we grouped them under “daily online activities” category. For each task we defined measure variables that were quantified in the studies. We present a full overview of the tasks and their measure variables in Table 1.

Tasks	Measure variables	Papers
Area pointing	Perceived cognitive workload, model fit, task completion time, error rate, movement time, throughput, error rate, subjective satisfaction, perceived ease-of-use, perceived speed, path length, target re-entry, task axis crossing, movement direction changes, orthogonal direction changes, movement variability, movement error, movement offset, number of submovements, maximum velocity, normalised time of maximum velocity, maximum acceleration, normalised time of maximum acceleration, maximum absolute jerk, total square integrated jerk	[54, 63, 249, 250]
Calibration	Offset magnitude	[47]
Creation of vocal commands	Lexical density of corpus, common words	[201]
Daily internet activities	Perceived comfort, perceived ease-of-use, error rate, movement time, perceived usefulness, task completion time, system usability, perceived cognitive workload (NASA-TLX), number of clicks, cursor positioning time	[5, 8, 51, 86, 139, 148, 200, 262]
Dragging	Task completion time, error rate, movement time	[54, 55, 233]
Foot manipulation	Toe-tap rate, toe-raise rate	[35]
Gesture input	Path length, gesture completion time, line steadiness, task completion time, error rate, perceived ease-of-use, perceived learnability, task completion success rate, perceived difficulty, classification accuracy, dwell time, perceived cognitive workload, perceived physical workload, usability	[12, 25, 26, 29, 45, 69, 91, 106, 107, 230, 241]
Goal crossing	Movement time, throughput, error rate, subjective satisfaction, perceived ease-of-use, perceived speed, path length, target re-entry, task axis crossing, movement direction changes, orthogonal direction changes, movement variability, movement error, movement offset, number of submovements, maximum velocity, normalised time of maximum velocity, maximum acceleration, normalised time of maximum acceleration, maximum absolute jerk, total square integrated jerk	[249, 250]
Hand manipulation	Task completion time, duration of pauses, movement direction change, total motion time, average motion time, total pause time, average pause time, motion variability, motion distance, motion amplitude, physical performance	[43, 92, 169, 188]
Indoor navigation	Error rate, system usability, perceived stress, number of uprising steps, task completion time	[126, 152, 196]
Information search	Task completion time, system usability, perceived cognitive workload (NASA-TLX), movement time, subjective satisfaction, perceived productivity, perceived effectiveness	[22, 148, 180]
Input invention	Ease-of-use, task completion success rate, perceived difficulty	[25, 26, 76]
Interface manipulation	Task completion time, movement time, error rate, perceived ease-of-use, perceived usefulness, subjective satisfaction, classification accuracy	[33, 36, 45, 63, 125, 157, 173, 202, 262]
Long press	Task completion success rate	[176]
Map navigation	Task completion time, false positive clicks, unregistered commands, error rate, subjective satisfaction	[18, 33]

Tasks	Measure variables	Papers
Object manipulation	Classification accuracy, task completion success rate, cross-entropy loss, number of switches of control mode, selection time, perceived ease-of-use, user preference, ease-of-control, movement distance, force, speed, task completion time, error rate, perceived comfort, perceived fun, perceived difficulty	[31, 99, 108, 116, 123, 140, 150, 194, 195]
Painting/ Drawing	Task completion time, dwell time, perceived ease-of-use, perceived learnability, task completion success rate	[21, 83, 96, 98, 177]
Peg test	Path-length ratio, movement error, movement direction change, line steadiness	[93, 94]
Physical exercise activity	Stride length, step length, physical performance, system usability, perceived comfort, classification accuracy, perceived cognitive workload (NASA-TLX), error and speed ratio, motion duration, motion steadiness, motion accuracy	[11, 40, 118, 128, 145, 206, 259]
Pinching	Task completion success rate	[176]
Play a game	Perceived ease-of-use, perceived learnability, perceived comfort, perceived speed, perceived enjoyment, game specific parameters, time to touch-down, time to touch-up, offset magnitude, touch duration, movement direction changes, touch location, game specific parameters, perceived fun, perceived fairness, physical performance, perceived comprehensibility, visual quality, perceived correctness, likelihood to play, motivation, perceived boredom, activity level, disinterest, usability, distraction time, attention time, output score, task completion time	[10, 41, 44, 66, 69, 88–90, 105, 109, 119, 135, 144, 153, 171, 213, 222, 242]
Programming (writing/editing code)	Task completion time, number of keypresses	[170, 201]
Rotation	Task completion success rate	[176]
Scrolling	Task completion success rate	[176]
Speech input	Task completion time, perceived ease-of-use, perceived learnability, perceived intuitiveness, subjective satisfaction, perceived effectiveness, task completion success rate	[21, 65, 95, 95, 138]
Steering	Task completion time, error rate, movement time, throughput	[54, 84]
Swiping	Path length, gesture completion time, line steadiness, perceived ease-of-use, task completion success rate	[138, 176, 241]
Target acquisition	Perceived cognitive workload, model fit, task completion time, perceived ease-of-use, error rate, movement time, throughput, subjective satisfaction, perceived speed, path length, target re-entry, task axis crossing, movement direction changes, orthogonal direction changes, movement variability, movement error, movement offset magnitude, number of submovements, maximum velocity, normalised time of maximum velocity, maximum acceleration, normalised time of maximum acceleration, maximum absolute jerk, total square integrated jerk, perceived learnability, perceived memorability, perceived accuracy, perceived effort, perceived frustration, perceived fun, perceived naturalness, perceived comfort, perceived intuitiveness, perceived effectiveness, click accuracy, press accuracy, release accuracy, distance to target, number of touches, time to touch-down, time to touch-up, dwell time, offset magnitude, offset direction, accidental clicks, number of voice commands, touch duration, task completion success rate, number of unsuccessful clicks, missed targets, cursor position corrections, perceived cognitive workload, time to mouse down, classification accuracy, perceived system responsiveness, perceived consistency, perceived predictability, number of pauses, duration of pauses, path-length to axis-length ratio, physical workload, effective target width, perceived fatigue, perceived attentiveness, perceived prompting levels, curvature index, streak size, streak sum	[15, 19, 34, 48, 50, 53–55, 58, 62–64, 78, 79, 81, 82, 84, 86, 95, 98, 100, 101, 104, 107, 115, 132, 138, 139, 143, 149, 151, 152, 159, 161–163, 174, 176, 178, 179, 181, 183, 195, 197, 203, 233, 235, 248, 250]
Text entry	Task completion time, perceived ease-of-use, typing speed, error rate, communication speed, subjective satisfaction, perceived learnability, perceived intuitiveness, perceived effectiveness, number of gestures per character, number of keystrokes per character, number of corrections, number of deletions, perceived cognitive workload (NASA-TLX), perceived comfort, accuracy (minimum string distance), uncorrected error rate, corrected error rate, dwell time, total error rate, user experience, perceived speed, perceived accuracy, perceived likeability, total number of words, total number of characters, total number of alphanumeric characters, total number of non-alphanumeric characters, total number of space characters, total number of capital letter shifts, total number of alphanumeric keys in input, alphanumeric keystrokes per character, keystrokes per character, alphanumeric keystroke saving rate, typing speed improvement, potential keystroke saving rate, actual keystroke saving rate, prediction utilisation, perceived usefulness, perceived distractiveness, perceived fatigue, typing variability, word classification accuracy, character classification accuracy, human readability accuracy, ballistic phase movement time, corrective phase movement time, total movement time	[7, 16, 38, 49, 74, 77, 80, 113, 124, 132, 137, 138, 141, 150, 156, 160, 163, 175, 184, 193, 204, 224, 231, 232, 234, 246, 253–257, 260, 261]
Trajectory tracking	Perceived difficulty (NASA TLX), physical performance, classification accuracy, line steadiness, task completion time, accuracy	[85, 91, 140, 195, 205, 258]
User specific free form task	Session length, perceived enjoyment, perceived frustration, perceived fatigue, number of button activations, number of special effects activations, distance to target, task completion time, perceived fatigue, subjective satisfaction	[42, 143]
Virtual navigation	Time per keystroke, error rate, task completion time, perceived comfort, perceived fun, perceived difficulty	[57, 150]

Tasks	Measure variables	Papers
Visual search	Perceived learnability, perceived memorability, perceived accuracy, perceived ease-of-use, perceived effort, perceived frustration, perceived fun, perceived naturalness, task completion time, streak size, streak sum	[19, 64, 152, 181, 236]
Web navigation	Task completion time, false positive clicks, unregistered commands, error rate, system usability, movement time, touch-down time, distance to target, target re-entry, throughput, curvature index	[18, 179, 180, 221]
No task was used to measure performance	NA	[13, 17, 27, 46, 67, 75, 97, 111, 112, 154, 155, 158, 164, 187, 198, 220]

Table 1. Tasks overview

4.2.3 Participants. The number of participants varied reasonably without drastic outliers in the analysed papers ranging from 1 to 318 ($SD = 25$) with the mean of $M = 15$ and the median of $Med = 10$. These results are in line with the local standards in the HCI community with the common sample size of 12 participants; however on a lower side of the participant sample size [24].

Of these 228 studies, 91 (40%) were conducted strictly with motor-impaired participants, 73 (32%) were performed strictly with able-bodied participants, 52 (22.8%) studies recruited both able-bodied and motor-impaired participants, 10 (4.4%) studies included field experts as participants (therapists, rehab specialists), 1 study (0.4%) reports recruiting 1 vision-impaired participant, and 1 study (0.4%) does not report if their participants were able-bodied or motor-impaired. Furthermore, our analysis shows that 79 studies (34.6% of all studies, 55.2% of studies with motor-impaired and mixed participants groups) recruited participants with different diagnosis. Next we analysed if the sample size of the study was different depending on the recruitment group, e.g., able-bodied, motor-impaired, or mixed type participants. A one-way analysis of variance (ANOVA) test showed a statistically significant difference in sample size and participants type ($F(3, 220) = 4.91, p < 0.01$). A Tukey HSD post-hoc comparison test (with Bonferroni corrections) reveals that an average sample size in studies with mixed participants is significantly greater than average number of participants in studies with only motor-impaired participants ($p < 0.01$), or able-bodied participants ($p = 0.02$). Our results did not reveal any other statistically significant difference between other participant groups. We excluded the study that reported recruiting 1 vision-impaired participant and 2 studies (from the same manuscript) that did not report their participant group from this analysis. These results are presented in Figure 3.

Then we analysed participant group versus study location. A chi-square test of independence showed that there was a significant association between the study location and participant group ($\chi^2(4, 228) = 48.14, p < 0.001$). The number of motor-impaired participants as well as the number of participants including field experts is significantly higher in field studies, while the number of able-bodied participants is significantly higher in lab studies. The results of these findings are presented in Figure 4.

Similarly, we analysed device prevalence versus study location to understand if certain technology was tied to the lab or in-the-wild environment. A chi-square test of independence showed that there was a significant association between the study location and device category ($\chi^2(5, 228) = 13.86, p = 0.02$). Our results demonstrate that Desktop with an eye-tracker are more expected to be in the laboratory setting; whereas equipment defined in the “other” category is expected to be used in field studies. This is not surprising due to the fact that eye-trackers are mostly used in the laboratory environment because of their cost and configuration difficulties [185]. Furthermore, we categorised wheelchairs mostly as “other” equipment and participants were using their wheelchairs while being recruited in in-the-wild studies. These findings are presented in Figure 5.

We also analysed participant impairment information. The most common motor-impairment diseases affecting participants of the studies were cerebral palsy (62 studies), spinal cord injury (30 studies), Parkinson’s disease (24 studies), multiple sclerosis (16 studies), muscular dystrophy (24 studies), and post-stroke hemiparesis (25




Fig. 3. Device prevalence in analysed studies

studies). Other diseases were presented in fewer than 10 studies. We subsequently grouped participant impairment information into categories and analysed categories information. We used categorisation provided by Utah State University’s ‘Institute for Disability Research, Policy, and Practice’ [1]: traumatic injuries (*e.g.*, spinal cord injury, loss or damage of limb(s)), congenital conditions (cerebral palsy, muscular dystrophy, spina bifida), diseases correlated with age (*e.g.*, arthritis, Parkinson’s disease, essential tremor, multiple sclerosis), and diseases with a mysterious cause (*e.g.*, ALS). We added an additional category for other impairments not matching any of the above categories (*e.g.*, blindness). To categorise the impairments, two authors read through the list of impairments collated from the literature review. Then, the two authors completed the categorisation of the impairments independent from each other. Once the categorisation was finished, we performed interrater reliability analysis using the Kappa statistics to determine consistency among the two raters, which showed strong agreement between the raters ($\kappa = 0.81, p < 0.01$). We then performed analysis of the distribution of these categories among our sample. A one-way analysis of variance (ANOVA) test did not show a statistically significant difference in the distribution of the above-mentioned categories within our participants’ sample ($F(4, 60) = 2.50, p < 0.05$). These findings are presented in Figure 6.

It is important to note that the studies analysed in this survey recruited participants from a range of diagnoses, *i.e.*, participants with cerebral palsy as well as participants with Parkinson’s disease. For this reason, the total number of studies might not add up to the number mentioned in the above paragraph. Unfortunately, 18 studies do not provide details of their participants’ impairment details.

As it is common to give incentives to participants in user-subject studies, we analysed how incentives are being handled in the studies aimed at investigating motor impairments research. Unfortunately, a large portion of 186 studies (82.0%) did not report any detail on participant incentive—only 42 studies (18%) provided this information.




Fig. 4. Participant prevalence within the study environment

Out of these 42 studies, 30 studies compensated their participants with cash; while 6 studies rewarded their participants with gift cards and vouchers (5 studies with a shopping voucher and 1 study with a lunch voucher). Furthermore, 2 studies reimbursed their participants with movie tickets, 1 study provided participation in a gift voucher raffle; 2 studies explicitly stated that no reward was provided for participants, and, finally, 1 study did not specify the reimbursement amount.

5 DISCUSSION

5.1 User Representation in Accessibility Research

Our results show that 32% of the studies were conducted with able-bodied participants. Such an outcome is predictable and understandable given the difficulties of recruiting participants from the permanently impaired user group [214]. Nevertheless, such an approach is perilous as it might lead to inaccurate conclusions and missed insights [214]. A decade ago Sears and Hanson argued that non-representative users might be acceptable for preliminary evaluations; but studies being published in archival venues should be conducted on representative users [214]. Several examples in literature have shown that able-bodied participants and permanently-impaired participants behave differently during the studies as well as their strategies differ in their approach to resolve the problem [215, 244]. Such differences exist even among participants from permanently-impaired user groups, as research has shown that people who were born with a certain condition perform differently as compared to people who developed the condition during their life [87].

Our results also show that the average number of participants per study was $N = 15$ which can be considered in line with the HCI standards [24]. However, applying traditional statistical analysis approach might be challenging




Fig. 5. Device prevalence within the study environment

for such a number of participants [214]. Therefore, there is a need for alternative solutions when conducting experiments in accessibility research, *e.g.*, single-subject experiments [217] and repeated-measures design [225].

Another common trend observed from our analysis is that almost a quarter of the studies mostly use a combination of able-bodied and permanently-impaired users ($N = 52, 22.8\%$). Sears and Hanson argue that failing to identify significant differences in performance when comparing the two user groups does not mean that both groups are equivalent as details of how the tasks were completed were not taken into account [214].

In addition, our analysis shows that it was relatively common in our sample (34.6% of all studies) to recruit participants with different impairments diagnosis [1], even though the distribution of the categories in study samples was not statistically significant. While individual papers typically focus on one or a small number of impairments, we argue that a higher level understanding of the categories studied in HCI-driven accessibility research is of critical importance. The categorisation of motor impairments could allow for a more thorough investigation of the motor impairments phenomenon from an HCI research perspective and lead to crossovers in lessons learned between different impairments. For example, prior research has shown that people with congenital conditions have higher disability self-concept and are more adaptive to using technological solutions as compared to people with acquired disabilities (*e.g.*, age-related disabilities) [20]. Such high-level differences between different categories of impairments are rarely synthesised in the HCI literature.

Furthermore, our results show that one study among those with motor-impaired participants did not report impairment details of their participants. However, providing a medical diagnosis is an important detail when describing participant sample as it might directly define physical capabilities of participants [214]. The diagnosis




Fig. 6. Participant impairment categories distribution

often provides information on the challenges an individual might experience when performing certain activities/tasks [214]. This information in combination with other user details (technology used, user capabilities, background and experience) might facilitate the generalisability of the findings [214].

5.2 Measuring Functional Capabilities

Our results also show that the majority of the studies (90%) quantified functional capabilities of the participants using different variables throughout the taxonomy of 34 tasks. Our results show that most common tasks used in the studies were target acquisition and text entry (Table 1).

Price and Sears [189] highlight the necessity of providing an accurate and repeatable method to assess user's functional capabilities in the context of HCI and Accessibility research when interacting with technology. The authors argue that such an assessment tool will assist in better user categorisation as well as matching the uses with appropriate technology [189].

Furthermore, Price and Sears [189] demonstrate that there is a need to categorise functional evaluation metrics based on what they measure [189]. The authors provide an example of task completion time being one of the evaluation metrics of functional capabilities of users when interacting with technology [189]. Furthermore, the authors demonstrate that movement is also an important aspect of measuring capabilities [189]. In particular, such details of movement as path followed in target acquisition tasks [136, 251] as well as variability in task completion which has been shown to be one of the most metrics to measure individual's capabilities [189].

Price and Sears mention an important issue of established measures providing different assessment results [189]. In their study the authors show that examining functional capabilities using Performance-Based Functional Assessment for Computer Technology (PB-FACT) scores [189], self-reported survey results, and gold standard

observer ratings show different scores in measuring user capabilities. For example, all self reports indicated the participants could complete the tasks without any difficulties, whereas PB-FACT scores and gold standard observer ratings indicate that participants experience some level of difficulty during task completion [189].

Furthermore, functional capabilities in current research practices are mostly assessed under controlled laboratory settings and have been shown to be non-representative of real-world performance [101]. Therefore, Gajos et al. [61] argue that the modelling of functional capabilities of users should be based on the data collected unobtrusively during user's free interaction with technology.

5.2.1 Games for Rehabilitation Purposes. 26 studies (18 papers) have reported using a game as a task to measure functional capabilities of users (Table 1). This type of task was the third most popular after target acquisition and text entry used across 228 studies reported in 177 papers analysed in this survey. Our results show that integrating games to the tasks in accessibility research studies is quite common and can pursue rehabilitation aims.

According to our results every third study (8 studies across 6 papers [10, 41, 44, 109, 119, 144]) used games for therapeutic rehabilitation purposes. Literature has presented examples where games have been used for therapeutic purposes. For example, Fukamoto [60] successfully leveraged games for neurorehabilitation as they provided a "fun" incentive for users with foot drop syndrome. Similarly, research has also shown that virtual reality games have become one of the strategic therapies to encourage movement in motor-impaired users, e.g., users with cerebral palsy [130], spinal cord injuries [120], essential tremor [37]. The same applies to Robot Mediated Therapies that have gained an increased popularity in the rehabilitation process for motor-impaired individuals [147].

Furthermore, literature has shown that integrating game elements in wheelchairs established positive relationships between the user and the wheelchair [68]. This is particularly important for novice users as gamification allows them to accept wheelchairs as an enabling and fun technology, rather than a restriction of their independence [68]. Moreover, the authors argue that wheelchair-based game controls could potentially assist in developing wheelchair skills, e.g., improving abilities to navigate in the environment and extending functional independence [68]. Nevertheless, it is important to remember that when using games to measure functional or perceptual capabilities of participants, the quality of game design has an effect not only on game experience, but also on the quality of scientific assessment [238]. Therefore, a better quality of game design leads to more accurate scientific measurements and, hence, should be accounted in research to achieve robust research practices.

5.3 Barriers to Accessibility Research and Development

Next, we outline the main barriers to conducting accessibility research and designing accessible technology.

5.3.1 Recruitment and Logistics. From a research perspective, it is challenging to recruit more than 10 participants with disabilities to evaluate a new design or piece of technology [142]. Having bigger samples would definitely improve the representation of the population; however, it is still not guaranteed as the heterogeneity of the population is highly varied [142]. Furthermore, it might be difficult to perform longitudinal studies and data collection due to accessibility problems that arise from participant fatigue, reduced speed and performance [142].

Throughout the development of accessibility research and assistive technology, several methods have emerged to overcome the above issue [142]. For example, simulation is one of the techniques that allows to mimic certain impairments, e.g., blindfolding to replicate the experience of visually-impaired [142]. However, in most cases simulation fails to reproduce the true experience of an impairment and raises ethical concerns [117].

Nevertheless, simulation provides an inexpensive and quick way to evaluate the interface and to ensure that it would not cause any issues to the participants during the study [142]. Hence, it can be used as an initial step before involving participants with disabilities in order to save time and resources.

Several research projects have demonstrated that instead of simulation, data corpora can be used [102, 142]. The advantage of using pre-existing datasets to test hypotheses is that it is more realistic as it includes data from participants' daily experience [142]. One more issue might be the duration of the studies. Bannon argues that trials of few hours, or even days, do not allow the observation of issues of long-term use and habituation [14].

5.3.2 Cost. One of the key challenges of designing accessible technology is its cost-inefficiency [223]. This mostly occurs because the majority of technological solutions are designed to address the needs of able-bodied users [70]; hence, designing technology for a permanently-impaired user group needs several levels of customisation and implementation of specific design tools [223].

Moreover, several studies have shown that individuals with permanent impairments prefer to use mainstream technology rather than specialised devices due to several factors, including but not limited to social and financial components [112, 190, 218]. Furthermore, higher costs of accessible technology might lead to discrimination and isolation of users due to their economical limitations [6].

Therefore, accessible and assistive solutions should not be expensive by the time they are ready for market production. Nevertheless, Newell and Gregor [166] argue that provision of information technology is not necessarily expensive if accessibility is considered at an early stage of the design. In terms of creating accessible software solutions, it is easier to create designs accounting for accessibility from its initial states rather than incorporating accessibility into a finished product.

5.3.3 Abandonment. Despite the high demand for assistive technology devices, the abandonment rate of assistive technology is quite high [103]: 29.3% overall [182], 8% for life-saving devices [212], 36% for dressing aids [212], 61% for crutches [182], and even 75% for hearing devices [182]. In order to combat these high-levels of abandonment, literature suggest a 'do-it-yourself' approach in designing and customising assistive technology as it has been shown that users of assistive technology have concrete modification ideas that are affordable both in terms of cost and implementation [103].

One approach to custom modifications is the involvement of the users of assistive technology in the design and creation process [103]. Several initiatives already exist to support collaborative design and development of assistive technology. For example, The Open Prosthetics Project¹ is a community that supports an open-source education and collaboration between users, designers, and funders to develop and share prosthetic innovations [103]. In order to succeed, such online communities need to be well known within the relevant user space, enable a low-barrier to entry for making contributions, and should be easily found via online search [103].

Further, existing limitations in accessibility impose different problems on different user groups, as it has been shown that people who do not have access to technology may experience adverse effects of a digital divide [56]. Therefore, the development of accessible technology has to be approached from a range of perspectives. Abascal and Nicolle [6], therefore, argue that it is necessary for social and political factors to influence the development of accessible technology, as it does not evolve by itself.

Another well-known challenge within the HCI community is the abandonment of research prototypes following the completion of an experiment [227]. It is common for research prototypes to be taken back to the lab, redeployed with a different sample of participants, or in cases of where prototypes are left with participants, that no further technical support is provided. Hence, the initial users of the prototypes are left on their own after the project concludes [227]. Such a practice can be unfair to the participants who commit their time and efforts to the experiment [129]. This is particularly harmful to participants with permanent motor impairments and their caregivers, as their physical constraints result in extra effort required to participate in the study, reach the study site, and complete study tasks. Furthermore, it is problematic to provide participants with permanent motor impairments with technological solutions that potentially improve their quality of life and subsequently remove

¹<http://www.openprosthetics.org>

this piece of assistive technology from their lives. Therefore, the research community needs to break with the trend of abandoning research prototypes without a longer term plan for the participants if we as a community want to set and follow good research practice.

5.3.4 Situational Impairments. Newell and Gregor [166] more than two decades ago talked about disabling environments that can potentially impair human-computer interaction. The authors provide examples of different situations such as cold environment where people are required to wear protective clothing and gloves that reduce dexterity of their motor functions similar to those of permanent motor impairments. Later, Sears et al. [216] coined a term for these temporal impairments referring to them as “Situationally-Induced Impairments and Disabilities” or *situational impairments* [61].

Although the focus of our survey was not on situational impairments, it is important to consider SIIDs when designing accessible technology. The reason being that situational impairments affect users of all abilities, and furthermore, they worsen the experience of permanently-impaired users [110, 210, 247]. Research has shown that different SIIDs such as walking [71], ambient noise [211], dim ambient light [209], encumbrance [168], cold temperatures [73, 207] have a negative effect during mobile interaction. Furthermore, accessibility issues of technology might be exacerbated for permanently-impaired users by situational impairments [110, 247].

Hence, several experts in Accessibility and HCI have stated that designing solutions to account for Situationally-Induced Impairments and Disabilities can lead to new interface ideas that can also accommodate permanently impaired users [71, 166, 208, 247], and vice versa designing solutions that consider the needs of people with disabilities can promote better products for users of all abilities [167].

5.4 Future Directions for Accessibility Research

While substantial research and technology is moving from the design of interfaces between people and machines towards the design of “interspaces” occupied by “multiple people, workstations, and other devices” [14, 245], does this approach account for permanently impaired users?

A better understanding of representative users, their capabilities, their pressing needs and challenges, can expedite the development of accessibility from both research and technological outlooks. This will subsequently facilitate better interpretation of research results, applications of these results to a broader range of users, and will further enhance the accessibility of technology used.

Furthermore, it is important to acknowledge that participating in studies and completing study tasks might cause fatigue on users of all abilities, with a stronger effect on users with permanent impairments [189]. Therefore, it is important to build such modelling techniques that are able to gather users’ functional and individualistic capabilities based on a limited number of observations [61]. Moreover, scholars widely suggest that accessible interaction would benefit from being accompanied by sophisticated personalisation infrastructure, adaptive algorithms and interaction techniques with regard to mutually dependent user demands and technology capabilities [134]. According to Froelich *et al.* modelling accessibility is a complex challenge that requires understanding of different aspects including users and their abilities and needs [59]. For example, a motor-impaired user cannot efficiently use standard multidimensional input devices, *e.g.*, keyboard and/or mouse [223]. Similarly, text entry imposes several challenges on users with permanent motor impairments when using both stationary (*e.g.*, desktop computers) and mobile technology (*e.g.*, smartphones) [247]. Motor-impaired users require physical stability, tactility, accuracy, and control to accomplish successful text entry [247]. Modelling also requires assessment and prioritisation of accessibility barriers as well understanding of users’ varying needs (*e.g.*, due to fatigue) [59].

Furthermore, research has shown that permanently-impaired users would like to share their knowledge and skills, *e.g.*, medical experience, travelling tips, organisational skills, ICT literacy. Hence, Liu *et al.* argues that when designing for people with disabilities, the technology should be able to leverage their strengths and

capabilities [133]. The importance of focusing on abilities of people, rather than disabilities when designing accessible technology has been a hot topic for a decade [252].

As interfaces become more sophisticated, it is more likely that the number of configuration options will increase rapidly. Individualistic characteristics of users vary significantly for different reasons including but not limited to user health conditions and environmental factors [189]. Therefore, it is argued that meeting all users' needs with a single interface is not possible [23]. Hence, when talking about accessibility, it is important to remember that there is no "one-size-fits-all" approach [9]. Therefore, it is important to account for personalisation when creating accessible technology so that user's unique needs and abilities are assessed with the further translation into personalised design adaptations [61]. Furthermore, within each modality there is always a range of abilities, that might also be transitory in nature [9]. Carter et al. [28] argue that for the the interface to be accessible two requirements should be met: 1) user must be able to navigate to any of the interactors of the interface, and 2) user must be able to control the chosen interactor. Therefore, in order to be efficient, adaptive interfaces should ideally be adaptive in their nature to reflect the change in abilities and user needs [61].

However, there are also several directions for research to be explored in order to progress accessibility research further, including the tradeoff of the personalised adaptation taking place in the choice of keeping the familiar interface for the user or providing the user with the suboptimal adaptation [61]. Accessibility research suggests adapting interfaces to user's individualistic needs as a major solution to enhance accessibility of technology [251]. However, there are many unknowns underlying in this solution. For example, the impact of changes in psychological and emotional conditions on adaptive interfaces remains unclear, therefore these aspects need future investigation.

Besides, it has been stated numerous times in literature that design solutions successful in one domain can also be successful in another domain [247]. This statement holds true in both directions, as badly designed interfaces are difficult to use not only by permanently impaired users, but also by everyone, "*they handicap all users*" [6, 228]. Moreover, designing assistive and accessible technology might have an influence not only on impaired users, but also the human assistance they require: rather than replacing human assistance, technology can potentially change the human assistance needed [131].

Finally, it is also important to include accessibility in university curricula in order to build the community of accessibility scholars and designers. For example, Putnam et al. [191] argue that a better understanding of how academic professionals consider and receive accessibility has an important influence on academic programs in HCI and UX as well as preparing future advocates for inclusive design. In other words, studying accessibility can direct HCI community's focus on the most impactful problems, define new directions to support critical thinking about the research as well as identify new ways for interdisciplinary collaboration [142].

5.5 Limitations

Our survey has a number of limitations. First, it is strictly limited to the results of our search. Although we tried to have as an extensive search as possible, it is possible that some papers were not included in our sample due to the usage of other keywords we did not consider or published in venues outside Computer Science (e.g., publications in medicine related venues). Furthermore, we did not consider publications that did not report on user studies. This, however, was by design as we wanted to focus on methodological standards in motor impairments research. Moreover, we did not provide an overview of technological solutions that exist in the literature to assist motor-impaired users. This was out of the scope of our survey as we focused on methodological aspects of conducting research with motor-impaired participants. Finally, in our survey we focused strictly on motor-impairments; however, it is necessary to conduct similar surveys on other types of impairments in order to obtain a holistic view of methodological standards in accessibility research.

6 CONCLUSION

In this survey we systematically review methodological approaches in conducting accessibility research for motor impairments. Through an analysis of 177 papers reporting 228 user studies in the domain, we identify the change and trends in technology used in user studies in the field over the past two decades. Furthermore, we assess user representation in the studies and provide an overview of standards used to measure functional capabilities of motor-impaired users. Finally, we discuss existing challenges and define future directions for accessibility research and contribute towards advancement of accessibility research in creating technology for motor-impaired users.

ACKNOWLEDGMENTS

Zhanna Sarsenbayeva is supported by a Doreen Thomas Postdoctoral Fellowship. Eduardo Velloso is the recipient of an Australian Research Council Discovery Early Career Award (Project Number: DE180100315) funded by the Australian Government.

REFERENCES

- [1] [n.d.]. Motor Disability types of motor disabilities. <https://webaim.org/articles/motor/motordisabilities>
- [2] 1986. *CHI '86: Proceedings of the SIGCHI Conference on Human Factors in Computing Systems* (Boston, Massachusetts, USA). Association for Computing Machinery, New York, NY, USA.
- [3] 2017. World Population Ageing 2017 - Highlights. <https://www.un.org/en/development/desa/population/publications/>
- [4] 2020. Disability and Functioning. <https://www.cdc.gov/nchs/fastats/disability.htm>
- [5] Julio Abascal, Amaia Aizpurua, Idoia Cearreta, Borja Gamecho, Nestor Garay-Vitoria, and Raúl Miñón. 2011. Automatically Generating Tailored Accessible User Interfaces for Ubiquitous Services. In *The Proceedings of the 13th International ACM SIGACCESS Conference on Computers and Accessibility* (Dundee, Scotland, UK) (*ASSETS '11*). Association for Computing Machinery, New York, NY, USA, 187–194. <https://doi.org/10.1145/2049536.2049570>
- [6] J. Abascal and C. Nicolle. 2005. Moving towards inclusive design guidelines for socially and ethically aware HCI. *Interacting with Computers* 17, 5 (2005), 484–505. <https://doi.org/10.1016/j.intcom.2005.03.002>
- [7] Sandip Agrawal, Ionut Constandache, Shraavan Gaonkar, Romit Roy Choudhury, Kevin Caves, and Frank DeRuyter. 2011. Using Mobile Phones to Write in Air. In *Proceedings of the 9th International Conference on Mobile Systems, Applications, and Services* (Bethesda, Maryland, USA) (*MobiSys '11*). Association for Computing Machinery, New York, NY, USA, 15–28. <https://doi.org/10.1145/1999995.1999998>
- [8] Benjamin Aigner, Veronika David, Martin Deinhofer, and Christoph Veigl. 2016. FLipMouse: A Flexible Alternative Input Solution for People with Severe Motor Restrictions. In *Proceedings of the 7th International Conference on Software Development and Technologies for Enhancing Accessibility and Fighting Info-Exclusion* (Vila Real, Portugal) (*DSAI 2016*). Association for Computing Machinery, New York, NY, USA, 25–32. <https://doi.org/10.1145/3019943.3019948>
- [9] Halimat I. Alabi and Bruce Gooch. 2011. The Accessibility Toolkit. In *Proceedings of the 10th SIGPLAN Symposium on New Ideas, New Paradigms, and Reflections on Programming and Software* (Portland, Oregon, USA) (*Onward! 2011*). Association for Computing Machinery, New York, NY, USA, 145–148. <https://doi.org/10.1145/2089131.2089136>
- [10] Gazihan Alankus, Rachel Proffitt, Caitlin Kelleher, and Jack Engsborg. 2010. Stroke Therapy through Motion-Based Games: A Case Study. In *Proceedings of the 12th International ACM SIGACCESS Conference on Computers and Accessibility* (Orlando, Florida, USA) (*ASSETS '10*). Association for Computing Machinery, New York, NY, USA, 219–226. <https://doi.org/10.1145/1878803.1878842>
- [11] Boyd Anderson, Shenggao Zhu, Ke Yang, Jian Wang, Hugh Anderson, Chao Xu Tay, Vincent Y. F. Tan, and Ye Wang. 2018. MANA: Designing and Validating a User-Centered Mobility Analysis System. In *Proceedings of the 20th International ACM SIGACCESS Conference on Computers and Accessibility* (Galway, Ireland) (*ASSETS '18*). Association for Computing Machinery, New York, NY, USA, 321–332. <https://doi.org/10.1145/3234695.3236340>
- [12] Rúbia E. O. Schultz Ascari, Luciano Silva, and Roberto Pereira. 2020. Personalized Gestural Interaction Applied in a Gesture Interactive Game-Based Approach for People with Disabilities. In *Proceedings of the 25th International Conference on Intelligent User Interfaces* (Cagliari, Italy) (*IUI '20*). Association for Computing Machinery, New York, NY, USA, 100–110. <https://doi.org/10.1145/3377325.3377495>
- [13] Mirjam Augstein, Thomas Neumayr, and Irene Schacherl-Hofer. 2014. The Usability of a Tabletop Application for Neuro-Rehabilitation from Therapists' Point of View. In *Proceedings of the Ninth ACM International Conference on Interactive Tabletops and Surfaces* (Dresden, Germany) (*ITS '14*). Association for Computing Machinery, New York, NY, USA, 239–248. <https://doi.org/10.1145/2669485.2669516>
- [14] Liam Bannon. 2011. Reimagining HCI: Toward a More Human-Centered Perspective. *Interactions* 18, 4 (July 2011), 50–57. <https://doi.org/10.1145/1978822.1978833>

- [15] Richard Bates and Howell Istance. 2002. Zooming Interfaces! Enhancing the Performance of Eye Controlled Pointing Devices. In *Proceedings of the Fifth International ACM Conference on Assistive Technologies* (Edinburgh, Scotland) (*Assets '02*). Association for Computing Machinery, New York, NY, USA, 119–126. <https://doi.org/10.1145/638249.638272>
- [16] Mohammed Belatar and Franck Poirier. 2008. Text entry for mobile devices and users with severe motor impairments: handiglyph, a primitive shapes based onscreen keyboard. In *Proceedings of the 10th international ACM SIGACCESS conference on Computers and accessibility*. 209–216.
- [17] Tapomayukh Bhattacharjee, Maria E. Cabrera, Anat Caspi, Maya Cakmak, and Siddhartha S. Srinivasa. 2019. A Community-Centered Design Framework for Robot-Assisted Feeding Systems. In *The 21st International ACM SIGACCESS Conference on Computers and Accessibility* (Pittsburgh, PA, USA) (*ASSETS '19*). Association for Computing Machinery, New York, NY, USA, 482–494. <https://doi.org/10.1145/3308561.3353803>
- [18] Jeff A. Bilmes, Xiao Li, Jonathan Malkin, Kelley Kilanski, Richard Wright, Katrin Kirchhoff, Amarnag Subramanya, Susumu Harada, James A. Landay, Patricia Dowden, and Howard Chizeck. 2005. The Vocal Joystick: A Voice-Based Human-Computer Interface for Individuals with Motor Impairments. In *Proceedings of the Conference on Human Language Technology and Empirical Methods in Natural Language Processing* (Vancouver, British Columbia, Canada) (*HLT '05*). Association for Computational Linguistics, USA, 995–1002. <https://doi.org/10.3115/1220575.1220700>
- [19] Pradipta Biswas and Peter Robinson. 2010. Evaluating the Design of Inclusive Interfaces by Simulation. In *Proceedings of the 15th International Conference on Intelligent User Interfaces* (Hong Kong, China) (*IUI '10*). Association for Computing Machinery, New York, NY, USA, 277–280. <https://doi.org/10.1145/1719970.1720010>
- [20] Kathleen R Bogart. 2014. The role of disability self-concept in adaptation to congenital or acquired disability. *Rehabilitation psychology* 59, 1 (2014), 107.
- [21] Marcela Bonilla, Sebastián Marichal, Gustavo Armagno, and Tomás Laurenzo. 2010. Designing interfaces for children with motor impairments: an ethnographic approach. In *2010 XXIX International Conference of the Chilean Computer Science Society*. IEEE, 246–251.
- [22] Giorgio Brajnik, Daniela Cancila, Daniela Nicoli, and Mery Pignatelli. 2005. Do Text Transcoders Improve Usability for Disabled Users?. In *Proceedings of the 2005 International Cross-Disciplinary Workshop on Web Accessibility (W4A)* (Chiba, Japan) (*W4A '05*). Association for Computing Machinery, New York, NY, USA, 9–17. <https://doi.org/10.1145/1061811.1061814>
- [23] W. Buxton, R. Foulds, M. Rosen, L. Scadden, and F. Shein. 1986. Human Interface Design and the Handicapped User. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems* (Boston, Massachusetts, USA) (*CHI '86*). Association for Computing Machinery, New York, NY, USA, 291–297. <https://doi.org/10.1145/22627.22386>
- [24] Kelly Caine. 2016. Local Standards for Sample Size at CHI. In *Proceedings of the 2016 CHI Conference on Human Factors in Computing Systems* (*CHI '16*). Association for Computing Machinery, 981–992. <https://doi.org/10.1145/2858036.2858498>
- [25] Patrick Carrington, Jian-Ming Chang, Kevin Chang, Catherine Hornback, Amy Hurst, and Shaun K. Kane. 2016. The Gest-Rest Family: Exploring Input Possibilities for Wheelchair Armrests. *ACM Trans. Access. Comput.* 8, 3, Article 12 (April 2016), 24 pages. <https://doi.org/10.1145/2873062>
- [26] Patrick Carrington, Amy Hurst, and Shaun K. Kane. 2014. The Gest-Rest: A Pressure-Sensitive Chairable Input Pad for Power Wheelchair Armrests. In *Proceedings of the 16th International ACM SIGACCESS Conference on Computers & Accessibility* (Rochester, New York, USA) (*ASSETS '14*). Association for Computing Machinery, New York, NY, USA, 201–208. <https://doi.org/10.1145/2661334.2661374>
- [27] Patrick Carrington, Amy Hurst, and Shaun K. Kane. 2014. Wearables and Chairables: Inclusive Design of Mobile Input and Output Techniques for Power Wheelchair Users. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems* (Toronto, Ontario, Canada) (*CHI '14*). Association for Computing Machinery, New York, NY, USA, 3103–3112. <https://doi.org/10.1145/2556288.2557237>
- [28] Scott Carter, Amy Hurst, Jennifer Mankoff, and Jack Li. 2006. Dynamically Adapting GUIs to Diverse Input Devices. In *Proceedings of the 8th International ACM SIGACCESS Conference on Computers and Accessibility* (Portland, Oregon, USA) (*Assets '06*). Association for Computing Machinery, New York, NY, USA, 63–70. <https://doi.org/10.1145/1168987.1169000>
- [29] Jingyuan Cheng, Ayano Okoso, Kai Kunze, Niels Henze, Albrecht Schmidt, Paul Lukowicz, and Koichi Kise. 2014. On the Tip of My Tongue: A Non-Invasive Pressure-Based Tongue Interface. In *Proceedings of the 5th Augmented Human International Conference* (Kobe, Japan) (*AH '14*). Association for Computing Machinery, New York, NY, USA, Article 12, 4 pages. <https://doi.org/10.1145/2582051.2582063>
- [30] Wendy Chisholm and Matt May. 2008. *Universal design for web applications: Web applications that reach everyone*. " O'Reilly Media, Inc."
- [31] Young Sang Choi, Cressel D. Anderson, Jonathan D. Glass, and Charles C. Kemp. 2008. Laser Pointers and a Touch Screen: Intuitive Interfaces for Autonomous Mobile Manipulation for the Motor Impaired. In *Proceedings of the 10th International ACM SIGACCESS Conference on Computers and Accessibility* (Halifax, Nova Scotia, Canada) (*Assets '08*). Association for Computing Machinery, New York, NY, USA, 225–232. <https://doi.org/10.1145/1414471.1414512>
- [32] Young Sang Choi, Ji Soo Yi, Chris M. Law, and Julie A. Jacko. 2006. Are "Universal Design Resources" Designed for Designers?. In *Proceedings of the 8th International ACM SIGACCESS Conference on Computers and Accessibility* (Portland, Oregon, USA) (*Assets '06*). Association for Computing Machinery, New York, NY, USA, 87–94. <https://doi.org/10.1145/1168987.1169003>

- [33] Kevin Christian, Bill Kules, Ben Shneiderman, and Adel Youssef. 2000. A Comparison of Voice Controlled and Mouse Controlled Web Browsing. In *Proceedings of the Fourth International ACM Conference on Assistive Technologies* (Arlington, Virginia, USA) (*Assets '00*). Association for Computing Machinery, New York, NY, USA, 72–79. <https://doi.org/10.1145/354324.354345>
- [34] Muratcan Cicek, Ankit Dave, Wenxin Feng, Michael Xuelin Huang, Julia Katherine Haines, and Jeffrey Nichols. 2020. Designing and Evaluating Head-Based Pointing on Smartphones for People with Motor Impairments. In *The 22nd International ACM SIGACCESS Conference on Computers and Accessibility* (Virtual Event, Greece) (*ASSETS '20*). Association for Computing Machinery, New York, NY, USA, Article 14, 12 pages. <https://doi.org/10.1145/3373625.3416994>
- [35] Krista Coleman. 2001. Electromyography Based Human-Computer-Interface to Induce Movement in Elderly Persons with Movement Impairments. In *Proceedings of the 2001 EC/NSF Workshop on Universal Accessibility of Ubiquitous Computing: Providing for the Elderly* (Alcácer do Sal, Portugal) (*WUAUC'01*). Association for Computing Machinery, New York, NY, USA, 75–79. <https://doi.org/10.1145/564526.564547>
- [36] Eric Corbett and Astrid Weber. 2016. What Can I Say? Addressing User Experience Challenges of a Mobile Voice User Interface for Accessibility. In *Proceedings of the 18th International Conference on Human-Computer Interaction with Mobile Devices and Services* (Florence, Italy) (*MobileHCI '16*). Association for Computing Machinery, New York, NY, USA, 72–82. <https://doi.org/10.1145/2935334.2935386>
- [37] John Cornacchioli, Alec Galambos, Stamatina Rentouli, Robert Canciello, Roberta Marongiu, Daniel Cabrera, et al. 2020. Virtual Reality tremor reduction in Parkinson's disease. (2020).
- [38] Francesco Curatelli, Chiara Martinengo, and Oscar Mayora-Ibarra. 2005. Improving Text Entry Performance for Spanish-Speaking Non-Expert and Impaired Users. In *Proceedings of the 2005 Latin American Conference on Human-Computer Interaction* (Cuernavaca, Mexico) (*CLIHIC '05*). Association for Computing Machinery, New York, NY, USA, 182–189. <https://doi.org/10.1145/1111360.1111379>
- [39] Lieven De Couvreur and Richard Goossens. 2011. Design for (every) one: co-creation as a bridge between universal design and rehabilitation engineering. *CoDesign* 7, 2 (2011), 107–121.
- [40] Tatiana de Paula Oliveira, Camila Souza Miranda, Joyce Xavier Muzzi de Gouvêa, Danielle Borrego Perez, Amélia Pasqual Marques, and Maria Elisa Pimentel Piemonte. 2015. Balance Training In Virtual Reality In Patients With Chronic Sequels Of Stroke: Effects On ICF Domains, Preliminary Data. In *Proceedings of the 3rd 2015 Workshop on ICTs for Improving Patients Rehabilitation Research Techniques* (Lisbon, Portugal) (*REHAB '15*). Association for Computing Machinery, New York, NY, USA, 96–99. <https://doi.org/10.1145/2838944.2838968>
- [41] Kevin Desai, Kanchan Bahirat, Sudhir Ramalingam, Balakrishnan Prabhakaran, Thiru Annaswamy, and Una E. Makris. 2016. Augmented Reality-Based Exergames for Rehabilitation. In *Proceedings of the 7th International Conference on Multimedia Systems* (Klagenfurt, Austria) (*MMSys '16*). Association for Computing Machinery, New York, NY, USA, Article 22, 10 pages. <https://doi.org/10.1145/2910017.2910612>
- [42] Laura Diment, David Hobbs, and Tom Chau. 2013. A Gesture-Based Virtual Art Program for Children with Severe Motor Impairments: Development and Pilot Study. In *Proceedings of the 7th International Convention on Rehabilitation Engineering and Assistive Technology* (Gyeonggi-do, South Korea) (*i-CREATE '13*). Singapore Therapeutic, Assistive & Rehabilitative Technologies (START) Centre, Midview City, SGP, Article 65, 4 pages.
- [43] Ludovic Dovat, Olivier Lambercy, Berna Salman, Vineet Johnson, Theodore Milner, Roger Gassert, Etienne Burdet, and Teo Chee Leong. 2008. Post-stroke training of finger coordination with the HandCARE (cable-actuated rehabilitation) system: a case study. In *Proceedings of the 2nd International Convention on Rehabilitation Engineering & Assistive Technology*. 130–134.
- [44] Aviv Elor, Mircea Teodorescu, and Sri Kurniawan. 2018. Project Star Catcher: A Novel Immersive Virtual Reality Experience for Upper Limb Rehabilitation. *ACM Trans. Access. Comput.* 11, 4, Article 20 (Nov. 2018), 25 pages. <https://doi.org/10.1145/3265755>
- [45] Mingming Fan, Zhen Li, and Franklin Mingzhe Li. 2020. Eyelid Gestures on Mobile Devices for People with Motor Impairments. In *The 22nd International ACM SIGACCESS Conference on Computers and Accessibility* (Virtual Event, Greece) (*ASSETS '20*). Association for Computing Machinery, New York, NY, USA, Article 15, 8 pages. <https://doi.org/10.1145/3373625.3416987>
- [46] Qinyuan Fang, Maria Kyrarini, Danijela Ristic-Durrant, and Axel Gräser. 2018. RGB-D Camera Based 3D Human Mouth Detection and Tracking Towards Robotic Feeding Assistance. In *Proceedings of the 11th Pervasive Technologies Related to Assistive Environments Conference* (Corfu, Greece) (*PETRA '18*). Association for Computing Machinery, New York, NY, USA, 391–396. <https://doi.org/10.1145/3197768.3201576>
- [47] Anna Maria Feit, Shane Williams, Arturo Toledo, Ann Paradiso, Harish Kulkarni, Shaun Kane, and Meredith Ringel Morris. 2017. *Toward Everyday Gaze Input: Accuracy and Precision of Eye Tracking and Implications for Design*. Association for Computing Machinery, New York, NY, USA, 1118–1130. <https://doi.org/10.1145/3025453.3025599>
- [48] Torsten Felzer and Rainer Nordmann. 2009. Leveraging Retained Physical Capabilities to Support Persons with Severe Motor Impairments. In *Proceedings of the 3rd International Convention on Rehabilitation Engineering & Assistive Technology* (Singapore) (*i-CREATE '09*). Association for Computing Machinery, New York, NY, USA, Article 21, 4 pages. <https://doi.org/10.1145/1592700.1592724>
- [49] Torsten Felzer and Stephan Rinderknecht. 2015. Experiences of Someone with a Neuromuscular Disease in Operating a PC (and Ways to Successfully Overcome Challenges). *ACM Trans. Access. Comput.* 6, 2, Article 4 (March 2015), 18 pages. <https://doi.org/10.1145/2700436>

- [50] Wenxin Feng, Ming Chen, and Margrit Betke. 2014. Target Reverse Crossing: A Selection Method for Camera-Based Mouse-Replacement Systems. In *Proceedings of the 7th International Conference on Pervasive Technologies Related to Assistive Environments (Rhodes, Greece) (PETRA '14)*. Association for Computing Machinery, New York, NY, USA, Article 39, 4 pages. <https://doi.org/10.1145/2674396.2674443>
- [51] Ariane Oliveira Ferreira, Simone Bacellar Leal Ferreira, and Denis Silva Da Silveira. 2012. Accessibility for people with cerebral palsy: the use of blogs as an agent of social inclusion. *Procedia Computer Science* 14 (2012), 245–253.
- [52] Leo Ferres, Gitte Lindgaard, Livia Sumegi, and Bruce Tsuji. 2013. Evaluating a Tool for Improving Accessibility to Charts and Graphs. *ACM Trans. Comput.-Hum. Interact.* 20, 5, Article 28 (Nov. 2013), 32 pages. <https://doi.org/10.1145/2533682.2533683>
- [53] Leah Findlater, Alex Jansen, Kristen Shinohara, Morgan Dixon, Peter Kamb, Joshua Rakita, and Jacob O. Wobbrock. 2010. Enhanced Area Cursors: Reducing Fine Pointing Demands for People with Motor Impairments. In *Proceedings of the 23rd Annual ACM Symposium on User Interface Software and Technology (New York, New York, USA) (UIST '10)*. Association for Computing Machinery, New York, NY, USA, 153–162. <https://doi.org/10.1145/1866029.1866055>
- [54] Leah Findlater, Karyn Moffatt, Jon E. Froehlich, Meethu Malu, and Joan Zhang. 2017. *Comparing Touchscreen and Mouse Input Performance by People With and Without Upper Body Motor Impairments*. Association for Computing Machinery, New York, NY, USA, 6056–6061. <https://doi.org/10.1145/3025453.3025603>
- [55] Leah Findlater and Lotus Zhang. 2020. Input Accessibility: A Large Dataset and Summary Analysis of Age, Motor Ability and Input Performance. In *The 22nd International ACM SIGACCESS Conference on Computers and Accessibility (Virtual Event, Greece) (ASSETS '20)*. Association for Computing Machinery, New York, NY, USA, Article 17, 6 pages. <https://doi.org/10.1145/3373625.3417031>
- [56] D. Fitch. 2002. Digital inclusion, social exclusion and retailing: an analysis of data from the 1999 Scottish Household Survey. In *IEEE 2002 International Symposium on Technology and Society (ISTAS'02). Social Implications of Information and Communication Technology. Proceedings (Cat. No.02CH37293)*. 309–313. <https://doi.org/10.1109/ISTAS.2002.1013831>
- [57] Eelke Folmer, Fangzhou Liu, and Barrie Ellis. 2011. Navigating a 3D Avatar Using a Single Switch. In *Proceedings of the 6th International Conference on Foundations of Digital Games (Bordeaux, France) (FDG '11)*. Association for Computing Machinery, New York, NY, USA, 154–160. <https://doi.org/10.1145/2159365.2159386>
- [58] Jon Froehlich, Jacob O. Wobbrock, and Shaun K. Kane. 2007. Barrier Pointing: Using Physical Edges to Assist Target Acquisition on Mobile Device Touch Screens. In *Proceedings of the 9th International ACM SIGACCESS Conference on Computers and Accessibility (Tempe, Arizona, USA) (Assets '07)*. Association for Computing Machinery, New York, NY, USA, 19–26. <https://doi.org/10.1145/1296843.1296849>
- [59] Jon E. Froehlich, Anke M. Brock, Anat Caspi, João Guerreiro, Kotaro Hara, Reuben Kirkham, Johannes Schöning, and Benjamin Tannert. 2019. Grand Challenges in Accessible Maps. *Interactions* 26, 2 (Feb. 2019), 78–81. <https://doi.org/10.1145/3301657>
- [60] Taeko Fukamoto. 2010. NeuroRehab + the "Fun" Factor. In *Proceedings of the 5th ACM SIGGRAPH Symposium on Video Games (Los Angeles, California) (Sandbox '10)*. Association for Computing Machinery, New York, NY, USA, 69–78. <https://doi.org/10.1145/1836135.1836146>
- [61] Krzysztof Z. Gajos, Amy Hurst, and Leah Findlater. 2012. Personalized Dynamic Accessibility. *Interactions* 19, 2 (March 2012), 69–73. <https://doi.org/10.1145/2090150.2090167>
- [62] Krzysztof Z. Gajos, Jacob O. Wobbrock, and Daniel S. Weld. 2007. Automatically Generating User Interfaces Adapted to Users' Motor and Vision Capabilities. In *Proceedings of the 20th Annual ACM Symposium on User Interface Software and Technology (Newport, Rhode Island, USA) (UIST '07)*. Association for Computing Machinery, New York, NY, USA, 231–240. <https://doi.org/10.1145/1294211.1294253>
- [63] Krzysztof Z. Gajos, Jacob O. Wobbrock, and Daniel S. Weld. 2008. Improving the Performance of Motor-Impaired Users with Automatically-Generated, Ability-Based Interfaces. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems (Florence, Italy) (CHI '08)*. Association for Computing Machinery, New York, NY, USA, 1257–1266. <https://doi.org/10.1145/1357054.1357250>
- [64] Hock C Gan, Ray J Frank, Farshid Amirabdollahian, Austen W Rainer, and Rob Sharp. 2014. Use of re-attempts measure for evaluating device test results of children with neurological impairments. In *2014 7th International Conference on Human System Interactions (HSI)*. IEEE, 206–211.
- [65] X. T. Gao, S. K. Ong, M. L. Yuan, and A. Y. C. Nee. 2007. Assist Disabled to Control Electronic Devices and Access Computer Functions by Voice Commands. In *Proceedings of the 1st International Convention on Rehabilitation Engineering & Assistive Technology: In Conjunction with 1st Tan Tock Seng Hospital Neurorehabilitation Meeting (Singapore) (i-CREATE '07)*. Association for Computing Machinery, New York, NY, USA, 37–42. <https://doi.org/10.1145/1328491.1328502>
- [66] Michael Gardner, Vangelis Metsis, Eric Becker, and Fillia Makedon. 2013. Modeling the Effect of Attention Deficit in Game-Based Motor Ability Assessment of Cerebral Palsy Patients. In *Proceedings of the 6th International Conference on Pervasive Technologies Related to Assistive Environments (Rhodes, Greece) (PETRA '13)*. Association for Computing Machinery, New York, NY, USA, Article 65, 8 pages. <https://doi.org/10.1145/2504335.2504405>
- [67] Kathrin Gerling, Kieran Hicks, Michael Kalyn, Adam Evans, and Conor Linehan. 2016. *Designing Movement-Based Play With Young People Using Powered Wheelchairs*. Association for Computing Machinery, New York, NY, USA, 4447–4458. <https://doi.org/10.1145/2858036.2858070>
- [68] Kathrin M. Gerling, Regan L. Mandryk, and Michael R. Kalyn. 2013. Wheelchair-Based Game Design for Older Adults. In *Proceedings of the 15th International ACM SIGACCESS Conference on Computers and Accessibility (Bellevue, Washington) (ASSETS '13)*. Association for

- Computing Machinery, New York, NY, USA, Article 27, 8 pages. <https://doi.org/10.1145/2513383.2513436>
- [69] Kathrin M. Gerling, Regan L. Mandryk, Matthew Miller, Michael R. Kalyn, Max Birk, and Jan D. Smeddinck. 2015. Designing Wheelchair-Based Movement Games. *ACM Trans. Access. Comput.* 6, 2, Article 6 (March 2015), 23 pages. <https://doi.org/10.1145/2724729>
- [70] Ephraim P. Glinert and Bryant W. York. 2008. Computers and People with Disabilities. *ACM Trans. Access. Comput.* 1, 2, Article 7 (Oct. 2008), 7 pages. <https://doi.org/10.1145/1408760.1408761>
- [71] Mayank Goel, Leah Findlater, and Jacob O. Wobbrock. 2012. WalkType: Using Accelerometer Data to Accomodate Situational Impairments in Mobile Touch Screen Text Entry. In *Proc. of the SIGCHI Conference on Human Factors in Computing Systems* (Austin, Texas, USA) (*CHI '12*). ACM, New York, NY, USA, 2687–2696.
- [72] Jorge Goncalves, Vassilis Kostakos, Simo Hosio, Evangelos Karapanos, and Olga Lyra. 2013. IncluCity: Using Contextual Cues to Raise Awareness on Environmental Accessibility. In *Proceedings of the 15th International ACM SIGACCESS Conference on Computers and Accessibility* (Bellevue, Washington) (*ASSETS '13*). ACM, New York, NY, USA, Article 17, 8 pages. <https://doi.org/10.1145/2513383.2517030>
- [73] Jorge Goncalves, Zhanna Sarsenbayeva, Niels van Berkel, Chu Luo, Simo Hosio, Sirkka Risanen, Hannu Rintamäki, and Vassilis Kostakos. 2017. Tapping Task Performance on Smartphones in Cold Temperature. *Interacting with Computers* 29, 3 (2017), 355–367. <https://doi.org/10.1093/iwc/iww029>
- [74] Jun Gong, Peter Tarasewich, and I. Scott MacKenzie. 2008. Improved Word List Ordering for Text Entry on Ambiguous Keypads. In *Proceedings of the 5th Nordic Conference on Human-Computer Interaction: Building Bridges* (Lund, Sweden) (*NordiCHI '08*). Association for Computing Machinery, New York, NY, USA, 152–161. <https://doi.org/10.1145/1463160.1463177>
- [75] Dimitris Grammenos, Anthony Savidis, and Constantine Stephanidis. 2009. Designing Universally Accessible Games. *Comput. Entertain.* 7, 1, Article 8 (Feb. 2009), 29 pages. <https://doi.org/10.1145/1486508.1486516>
- [76] Daniela Grigis and Marco Lazzari. 2013. Augmentative and Alternative Communication on Tablet to Help Persons with Severe Disabilities. In *Proceedings of the Biannual Conference of the Italian Chapter of SIGCHI* (Trento, Italy) (*CHIItaly '13*). Association for Computing Machinery, New York, NY, USA, Article 17, 4 pages. <https://doi.org/10.1145/2499149.2499175>
- [77] Guilherme Corredato Guerino and Natasha Malveira Costa Valentim. 2019. Evaluating a Voice-Based Interaction: A Qualitative Analysis. In *Proceedings of the 18th Brazilian Symposium on Human Factors in Computing Systems* (Vitória, Espírito Santo, Brazil) (*IHC '19*). Association for Computing Machinery, New York, NY, USA, Article 59, 4 pages. <https://doi.org/10.1145/3357155.3360472>
- [78] Tiago Guerreiro, Hugo Nicolau, Joaquim Jorge, and Daniel Gonçalves. 2010. Towards Accessible Touch Interfaces. In *Proceedings of the 12th International ACM SIGACCESS Conference on Computers and Accessibility* (Orlando, Florida, USA) (*ASSETS '10*). Association for Computing Machinery, New York, NY, USA, 19–26. <https://doi.org/10.1145/1878803.1878809>
- [79] Tiago João Vieira Guerreiro, Hugo Nicolau, Joaquim Jorge, and Daniel Gonçalves. 2010. Assessing Mobile Touch Interfaces for Tetraplegics. In *Proceedings of the 12th International Conference on Human Computer Interaction with Mobile Devices and Services* (Lisbon, Portugal) (*MobileHCI '10*). Association for Computing Machinery, New York, NY, USA, 31–34. <https://doi.org/10.1145/1851600.1851608>
- [80] John Paulin Hansen, Kristian Tørring, Anders Sewerin Johansen, Kenji Itoh, and Hirotaka Aoki. 2004. Gaze Typing Compared with Input by Head and Hand. In *Proceedings of the 2004 Symposium on Eye Tracking Research & Applications* (San Antonio, Texas) (*ETRA '04*). Association for Computing Machinery, New York, NY, USA, 131–138. <https://doi.org/10.1145/968363.968389>
- [81] Tarif Haque, Emily Liang, and Jeff Gray. 2013. The Adjustable Grid: A Grid-Based Cursor Control Solution Using Speech Recognition. In *Proceedings of the 51st ACM Southeast Conference* (Savannah, Georgia) (*ACMSE '13*). Association for Computing Machinery, New York, NY, USA, Article 36, 6 pages. <https://doi.org/10.1145/2498328.2500084>
- [82] Susumu Harada, James A. Landay, Jonathan Malkin, Xiao Li, and Jeff A. Bيلمes. 2006. The Vocal Joystick: Evaluation of Voice-Based Cursor Control Techniques. In *Proceedings of the 8th International ACM SIGACCESS Conference on Computers and Accessibility* (Portland, Oregon, USA) (*Assets '06*). Association for Computing Machinery, New York, NY, USA, 197–204. <https://doi.org/10.1145/1168987.1169021>
- [83] Susumu Harada, Jacob O. Wobbrock, and James A. Landay. 2007. Voicedraw: A Hands-Free Voice-Driven Drawing Application for People with Motor Impairments. In *Proceedings of the 9th International ACM SIGACCESS Conference on Computers and Accessibility* (Tempe, Arizona, USA) (*Assets '07*). Association for Computing Machinery, New York, NY, USA, 27–34. <https://doi.org/10.1145/1296843.1296850>
- [84] Susumu Harada, Jacob O. Wobbrock, Jonathan Malkin, Jeff A. Bيلمes, and James A. Landay. 2009. Longitudinal Study of People Learning to Use Continuous Voice-Based Cursor Control. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems* (Boston, MA, USA) (*CHI '09*). Association for Computing Machinery, New York, NY, USA, 347–356. <https://doi.org/10.1145/1518701.1518757>
- [85] Mohammad Rakib Hasan, Debajyoti Mondal, and Carl Gutwin. 2020. Tracing Shapes with Eyes: Design and Evaluation of an Eye Tracking Based Approach. In *Proceedings of the 11th Augmented Human International Conference* (Winnipeg, Manitoba, Canada) (*AH '20*). Association for Computing Machinery, New York, NY, USA, Article 19, 4 pages. <https://doi.org/10.1145/3396339.3396390>
- [86] Hasni Hassan. 2009. Common Input Devices for Malaysian Computer Users with Motor Impairments. *SIGACCESS Access. Comput.* 93 (Jan. 2009), 18–25. <https://doi.org/10.1145/1531930.1531933>
- [87] Morton A. Heller. 1989. Picture and Pattern Perception in the Sighted and the Blind: The Advantage of the Late Blind. *Perception* 18, 3 (1989), 379–389. <https://doi.org/10.1068/p180379> arXiv:<https://doi.org/10.1068/p180379> PMID: 2798020.

- [88] Hamilton A. Hernandez, T.C. Nicholas Graham, Darcy Fehlings, Lauren Switzer, Zi Ye, Quentin Bellay, Md Ameer Hamza, Cheryl Savery, and Tadeusz Stach. 2012. Design of an Exergaming Station for Children with Cerebral Palsy. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems* (Austin, Texas, USA) (CHI '12). Association for Computing Machinery, New York, NY, USA, 2619–2628. <https://doi.org/10.1145/2207676.2208652>
- [89] Hamilton A. Hernandez, Mallory Ketcheson, Adrian Schneider, Zi Ye, Darcy Fehlings, Lauren Switzer, Virginia Wright, Shelly K. Bursick, Chad Richards, and T.C. Nicholas Graham. 2014. Design and Evaluation of a Networked Game to Support social Connection of Youth with Cerebral Palsy. In *Proceedings of the 16th International ACM SIGACCESS Conference on Computers & Accessibility* (Rochester, New York, USA) (ASSETS '14). Association for Computing Machinery, New York, NY, USA, 161–168. <https://doi.org/10.1145/2661334.2661370>
- [90] Hamilton A. Hernandez, Zi Ye, T.C. Nicholas Graham, Darcy Fehlings, and Lauren Switzer. 2013. *Designing Action-Based Exergames for Children with Cerebral Palsy*. Association for Computing Machinery, New York, NY, USA, 1261–1270. <https://doi.org/10.1145/2470654.2466164>
- [91] Marco Hirsch, Jingyuan Cheng, Attila Reiss, Mathias Sundholm, Paul Lukowicz, and Oliver Amft. 2014. Hands-Free Gesture Control with a Capacitive Textile Neckband. In *Proceedings of the 2014 ACM International Symposium on Wearable Computers* (Seattle, Washington) (ISWC '14). Association for Computing Machinery, New York, NY, USA, 55–58. <https://doi.org/10.1145/2634317.2634328>
- [92] Megan Hofmann, Jeffrey Harris, Scott E. Hudson, and Jennifer Mankoff. 2016. *Helping Hands: Requirements for a Prototyping Methodology for Upper-Limb Prosthetics Users*. Association for Computing Machinery, New York, NY, USA, 1769–1780. <https://doi.org/10.1145/2858036.2858340>
- [93] Phyllis Hofmann, Jeremia P Held, Roger Gassert, and Olivier Lambercy. 2016. Assessment of movement patterns in stroke patients: a case study with the Virtual Peg Insertion Test. In *Proceedings of the international Convention on Rehabilitation Engineering & Assistive Technology*. 1–4.
- [94] Phyllis Hofmann, Jeremia P. Held, Roger Gassert, and Olivier Lambercy. 2016. Assessment of Movement Patterns in Stroke Patients: A Case Study with the Virtual Peg Insertion Test. In *Proceedings of the International Convention on Rehabilitation Engineering & Assistive Technology (i-CREATE 2016)*. Singapore Therapeutic, Assistive & Rehabilitative Technologies (START) Centre, Midview City, SGP, Article 14, 4 pages.
- [95] Sylvester Honye and Hannah Thinyane. 2012. WiiMS: Simulating Mouse and Keyboard for Motor-Impaired Users. In *Proceedings of the South African Institute for Computer Scientists and Information Technologists Conference* (Pretoria, South Africa) (SAICSIT '12). Association for Computing Machinery, New York, NY, USA, 188–195. <https://doi.org/10.1145/2389836.2389859>
- [96] Anthony Hornof, Anna Cavender, and Rob Hoselton. 2003. Eyedraw: A System for Drawing Pictures with Eye Movements. In *Proceedings of the 6th International ACM SIGACCESS Conference on Computers and Accessibility* (Atlanta, GA, USA) (Assets '04). Association for Computing Machinery, New York, NY, USA, 86–93. <https://doi.org/10.1145/1028630.1028647>
- [97] Anthony J. Hornof. 2009. Designing with Children with Severe Motor Impairments. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems* (Boston, MA, USA) (CHI '09). Association for Computing Machinery, New York, NY, USA, 2177–2180. <https://doi.org/10.1145/1518701.1519032>
- [98] Anthony J. Hornof and Anna Cavender. 2005. EyeDraw: Enabling Children with Severe Motor Impairments to Draw with Their Eyes. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems* (Portland, Oregon, USA) (CHI '05). Association for Computing Machinery, New York, NY, USA, 161–170. <https://doi.org/10.1145/1054972.1054995>
- [99] Brandi House, Jonathan Malkin, and Jeff Bilmes. 2009. The VoiceBot: A Voice Controlled Robot Arm. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems* (Boston, MA, USA) (CHI '09). Association for Computing Machinery, New York, NY, USA, 183–192. <https://doi.org/10.1145/1518701.1518731>
- [100] Amy Hurst, Scott E. Hudson, Jennifer Mankoff, and Shari Trewin. 2013. Distinguishing Users By Pointing Performance in Laboratory and Real-World Tasks. 5, 2, Article 5 (Oct. 2013), 27 pages. <https://doi.org/10.1145/2517039>
- [101] Amy Hurst, Jennifer Mankoff, and Scott E. Hudson. 2008. Understanding Pointing Problems in Real World Computing Environments. In *Proceedings of the 10th International ACM SIGACCESS Conference on Computers and Accessibility* (Halifax, Nova Scotia, Canada) (Assets '08). Association for Computing Machinery, New York, NY, USA, 43–50. <https://doi.org/10.1145/1414471.1414481>
- [102] Amy Hurst, Jennifer Mankoff, and Scott E. Hudson. 2008. Understanding Pointing Problems in Real World Computing Environments. In *Proceedings of the 10th International ACM SIGACCESS Conference on Computers and Accessibility* (Halifax, Nova Scotia, Canada) (Assets '08). Association for Computing Machinery, New York, NY, USA, 43–50. <https://doi.org/10.1145/1414471.1414481>
- [103] Amy Hurst and Jasmine Tobias. 2011. Empowering Individuals with Do-It-Yourself Assistive Technology. In *The Proceedings of the 13th International ACM SIGACCESS Conference on Computers and Accessibility* (Dundee, Scotland, UK) (ASSETS '11). Association for Computing Machinery, New York, NY, USA, 11–18. <https://doi.org/10.1145/2049536.2049541>
- [104] Faustina Hwang, Simeon Keates, Patrick Langdon, and John Clarkson. 2003. Mouse Movements of Motion-Impaired Users: A Submovement Analysis. *SIGACCESS Access. Comput.* 77–78 (Sept. 2003), 102–109. <https://doi.org/10.1145/1029014.1028649>
- [105] Susan Hwang, Adrian L. Jessup Schneider, Daniel Clarke, Alexander Macintosh, Lauren Switzer, Darcy Fehlings, and T.C. Nicholas Graham. 2017. How Game Balancing Affects Play: Player Adaptation in an Exergame for Children with Cerebral Palsy. In *Proceedings of the 2017 Conference on Designing Interactive Systems* (Edinburgh, United Kingdom) (DIS '17). Association for Computing Machinery,

- New York, NY, USA, 699–710. <https://doi.org/10.1145/3064663.3064664>
- [106] Howell Istance, Aulikki Hyrskykari, Lauri Immonen, Santtu Mansikkamaa, and Stephen Vickers. 2010. Designing Gaze Gestures for Gaming: An Investigation of Performance. In *Proceedings of the 2010 Symposium on Eye-Tracking Research & Applications* (Austin, Texas) (ETRA '10). Association for Computing Machinery, New York, NY, USA, 323–330. <https://doi.org/10.1145/1743666.1743740>
- [107] Howell Istance, Stephen Vickers, and Aulikki Hyrskykari. 2012. The Validity of Using Non-Representative Users in Gaze Communication Research. In *Proceedings of the Symposium on Eye Tracking Research and Applications* (Santa Barbara, California) (ETRA '12). Association for Computing Machinery, New York, NY, USA, 233–236. <https://doi.org/10.1145/2168556.2168603>
- [108] Siddarth Jain and Brenna Argall. 2019. Probabilistic Human Intent Recognition for Shared Autonomy in Assistive Robotics. *J. Hum.-Robot Interact.* 9, 1, Article 2 (Dec. 2019), 23 pages. <https://doi.org/10.1145/3359614>
- [109] Hee-Tae Jung, Taiwoo Park, Narges MAhyar, Sungji Park, Taekyeong Ryu, Yangsoo Kim, and Sunghoon Ivan Lee. 2020. Rehabilitation Games in Real-World Clinical Settings: Practices, Challenges, and Opportunities. *ACM Trans. Comput.-Hum. Interact.* 27, 6, Article 41 (Nov. 2020), 43 pages. <https://doi.org/10.1145/3418197>
- [110] Shaun K. Kane. 2009. Context-Enhanced Interaction Techniques for More Accessible Mobile Phones. *SIGACCESS Access. Comput.* 93 (Jan. 2009), 39–43. <https://doi.org/10.1145/1531930.1531936>
- [111] Shaun K. Kane, Anhong Guo, and Meredith Ringel Morris. 2020. Sense and Accessibility: Understanding People with Physical Disabilities' Experiences with Sensing Systems. In *The 22nd International ACM SIGACCESS Conference on Computers and Accessibility* (Virtual Event, Greece) (ASSETS '20). Association for Computing Machinery, New York, NY, USA, Article 42, 14 pages. <https://doi.org/10.1145/3373625.3416990>
- [112] Shaun K. Kane, Chandrika Jayant, Jacob O. Wobbrock, and Richard E. Ladner. 2009. Freedom to Roam: A Study of Mobile Device Adoption and Accessibility for People with Visual and Motor Disabilities. In *Proceedings of the 11th International ACM SIGACCESS Conference on Computers and Accessibility* (Pittsburgh, Pennsylvania, USA) (Assets '09). Association for Computing Machinery, New York, NY, USA, 115–122. <https://doi.org/10.1145/1639642.1639663>
- [113] Shaun K. Kane, Jacob O. Wobbrock, Mark Harniss, and Kurt L. Johnson. 2008. TrueKeys: Identifying and Correcting Typing Errors for People with Motor Impairments. In *Proceedings of the 13th International Conference on Intelligent User Interfaces* (Gran Canaria, Spain) (IUI '08). Association for Computing Machinery, New York, NY, USA, 349–352. <https://doi.org/10.1145/1378773.1378827>
- [114] Simeon Keates and John Clarkson. 2003. Countering design exclusion. In *Inclusive Design*. Springer, 438–453.
- [115] Simeon Keates and Shari Trewin. 2005. Effect of Age and Parkinson's Disease on Cursor Positioning Using a Mouse. In *Proceedings of the 7th International ACM SIGACCESS Conference on Computers and Accessibility* (Baltimore, MD, USA) (Assets '05). Association for Computing Machinery, New York, NY, USA, 68–75. <https://doi.org/10.1145/1090785.1090800>
- [116] Charles C. Kemp, Cressel D. Anderson, Hai Nguyen, Alexander J. Trevor, and Zhe Xu. 2008. A Point-and-Click Interface for the Real World: Laser Designation of Objects for Mobile Manipulation. In *Proceedings of the 3rd ACM/IEEE International Conference on Human Robot Interaction* (Amsterdam, The Netherlands) (HRI '08). Association for Computing Machinery, New York, NY, USA, 241–248. <https://doi.org/10.1145/1349822.1349854>
- [117] Gary Kiger. 1992. Disability Simulations: Logical, Methodological and Ethical Issues. *Disability, Handicap & Society* 7, 1 (1992), 71–78. <https://doi.org/10.1080/02674649266780061> arXiv:<https://doi.org/10.1080/02674649266780061>
- [118] Yoojung Kim, Hee-Tae Jung, Joonwoo Park, Yangsoo Kim, Nathan Ramasarma, Paolo Bonato, Eun Kyoung Choe, and Sunghoon Ivan Lee. 2019. Towards the Design of a Ring Sensor-Based MHealth System to Achieve Optimal Motor Function in Stroke Survivors. *Proc. ACM Interact. Mob. Wearable Ubiquitous Technol.* 3, 4, Article 138 (Dec. 2019), 26 pages. <https://doi.org/10.1145/3369817>
- [119] Marcus King, Juha Hijmans, Michael Sampson, Jessica Satherley, Nicole McMillan, and Leigh Hale. 2010. Bilateral Movement Training with Computer Games for Stroke Rehabilitation. In *Proceedings of the 4th International Convention on Rehabilitation Engineering & Assistive Technology* (Shanghai, China) (iCREATe '10). Singapore Therapeutic, Assistive & Rehabilitative Technologies (START) Centre, Midview City, SGP, Article 20, 4 pages.
- [120] Rachel Kizony, Liat Raz, Noomi Katz, Harold Weingarden, and Patrice L Tamar Weiss. 2005. Video-capture virtual reality system for patients with paraplegic spinal cord injury. *Journal of Rehabilitation Research & Development* 42, 5 (2005).
- [121] Jesper Kjeldskov and Mikael B. Skov. 2014. Was It Worth the Hassle? Ten Years of Mobile HCI Research Discussions on Lab and Field Evaluations. In *Proceedings of the 16th International Conference on Human-Computer Interaction with Mobile Devices & Services* (Toronto, ON, Canada) (MobileHCI '14). Association for Computing Machinery, New York, NY, USA, 43–52. <https://doi.org/10.1145/2628363.2628398>
- [122] Jesper Kjeldskov, Mikael B. Skov, Benedikte S. Als, and Rune T. Høegh. 2004. Is it worth the hassle? Exploring the added value of evaluating the usability of context-aware mobile systems in the field. In *International Conference on Mobile Human-Computer Interaction*. Springer, 61–73.
- [123] Tom L. Koller, Maria Kyrarini, and Axel Gräser. 2019. Towards Robotic Drinking Assistance: Low Cost Multi-Sensor System to Limit Forces in Human-Robot-Interaction. In *Proceedings of the 12th ACM International Conference on Pervasive Technologies Related to Assistive Environments* (Rhodes, Greece) (PETRA '19). Association for Computing Machinery, New York, NY, USA, 243–246. <https://doi.org/10.1145/3316782.3321539>

- [124] Andrew Kurauchi, Wenxin Feng, Ajjen Joshi, Carlos Morimoto, and Margrit Betke. 2016. *EyeSwipe: Dwell-Free Text Entry Using Gaze Paths*. Association for Computing Machinery, New York, NY, USA, 1952–1956. <https://doi.org/10.1145/2858036.2858335>
- [125] Werner Kurschl, Mirjam Augstein, Holger Stitz, Peter Heumader, and Claudia Pointner. 2013. A User Modelling Wizard for People with Motor Impairments. In *Proceedings of International Conference on Advances in Mobile Computing & Multimedia (Vienna, Austria) (MoMM '13)*. Association for Computing Machinery, New York, NY, USA, 541–550. <https://doi.org/10.1145/2536853.2536860>
- [126] Mohammed Kutbi, Xiaoxue Du, Yizhe Chang, Bo Sun, Nikolaos Agadakos, Haoxiang Li, Gang Hua, and Philippos Mordohai. 2020. Usability Studies of an Egocentric Vision-Based Robotic Wheelchair. *J. Hum.-Robot Interact.* 10, 1, Article 4 (July 2020), 23 pages. <https://doi.org/10.1145/3399434>
- [127] Kari Kuutti and Liam J. Bannon. 2014. The Turn to Practice in HCI: Towards a Research Agenda. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems (Toronto, Ontario, Canada) (CHI '14)*. Association for Computing Machinery, New York, NY, USA, 3543–3552. <https://doi.org/10.1145/2556288.2557111>
- [128] Mikko Kytö, Laura Maye, and David McGookin. 2019. Using Both Hands: Tangibles for Stroke Rehabilitation in the Home. In *Proceedings of the 2019 CHI Conference on Human Factors in Computing Systems (Glasgow, Scotland Uk) (CHI '19)*. Association for Computing Machinery, New York, NY, USA, 1–14. <https://doi.org/10.1145/3290605.3300612>
- [129] Christopher A. Le Dantec and Sarah Fox. 2015. Strangers at the Gate: Gaining Access, Building Rapport, and Co-Constructing Community-Based Research. In *Proceedings of the 18th ACM Conference on Computer Supported Cooperative Work & Social Computing (Vancouver, BC, Canada) (CSCW '15)*. Association for Computing Machinery, New York, NY, USA, 1348–1358. <https://doi.org/10.1145/2675133.2675147>
- [130] D Levac and C Missiuna. 2009. An update on the use of virtual reality technology to improve movement in children with physical impairments. *Internet: http://www.canchild.ca/en/canchildresources/VirtualRealityTechnology.asp* (2009).
- [131] Simi Litvak and Alexandra Enders. 2001. Support systems: The interface between individuals and environments. *Handbook of disability studies* (2001), 711–733.
- [132] Li Liu, Shuo Niu, and Scott McCrickard. 2017. Non-contact human computer interaction system design and implementation. In *2017 IEEE/ACM International Conference on Connected Health: Applications, Systems and Engineering Technologies (CHASE)*. IEEE, 312–320.
- [133] Peng Liu, Xianghua Ding, and Ning Gu. 2016. “Helping Others Makes Me Happy”: Social Interaction and Integration of People with Disabilities. In *Proceedings of the 19th ACM Conference on Computer-Supported Cooperative Work & Social Computing (San Francisco, California, USA) (CSCW '16)*. Association for Computing Machinery, New York, NY, USA, 1596–1608. <https://doi.org/10.1145/2818048.2819998>
- [134] Claudia Loitsch, Michael Schmidt, and Gerhard Weber. 2015. Position paper: accessible human-robot interaction (AHRI). In *Proceedings of the 8th ACM International Conference on Pervasive Technologies Related to Assistive Environments*. 1–4.
- [135] Sebastián Aced López, Fulvio Corno, and Luigi De Russis. 2017. Design and Development of One-Switch Video Games for Children with Severe Motor Disabilities. *ACM Trans. Access. Comput.* 10, 4, Article 12 (Aug. 2017), 42 pages. <https://doi.org/10.1145/3085957>
- [136] I. Scott MacKenzie, Tatu Kauppinen, and Miika Silfverberg. 2001. Accuracy Measures for Evaluating Computer Pointing Devices. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems (Seattle, Washington, USA) (CHI '01)*. Association for Computing Machinery, New York, NY, USA, 9–16. <https://doi.org/10.1145/365024.365028>
- [137] Päivi Majaranta, Ulla-Kaija Ahola, and Oleg Špakov. 2009. Fast Gaze Typing with an Adjustable Dwell Time. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems (Boston, MA, USA) (CHI '09)*. Association for Computing Machinery, New York, NY, USA, 357–360. <https://doi.org/10.1145/1518701.1518758>
- [138] Meethu Malu, Pramod Chundury, and Leah Findlater. 2018. *Exploring Accessible Smartwatch Interactions for People with Upper Body Motor Impairments*. Association for Computing Machinery, New York, NY, USA, 1–12. <https://doi.org/10.1145/3173574.3174062>
- [139] Meethu Malu and Leah Findlater. 2015. *Personalized, Wearable Control of a Head-Mounted Display for Users with Upper Body Motor Impairments*. Association for Computing Machinery, New York, NY, USA, 221–230. <https://doi.org/10.1145/2702123.2702188>
- [140] Meenal Mandil, Needa Jamil, Shobhit Gupta, Suwardhan Ahirrao, and Keyur Sorathia. 2015. PhysiTable: Tangible Interactive System for Physical Rehabilitation of Children with Cerebral Palsy. In *Proceedings of the 7th International Conference on HCI, IndiaHCI 2015 (Guwahati, India) (IndiaHCI'15)*. Association for Computing Machinery, New York, NY, USA, 149–153. <https://doi.org/10.1145/2835966.2836287>
- [141] Jennifer Mankoff, Holly Fait, and Ray Juang. 2005. Evaluating accessibility by simulating the experiences of users with vision or motor impairments. *IBM Systems Journal* 44, 3 (2005), 505–517.
- [142] Jennifer Mankoff, Gillian R. Hayes, and Devva Kasnitz. 2010. Disability Studies as a Source of Critical Inquiry for the Field of Assistive Technology. In *Proceedings of the 12th International ACM SIGACCESS Conference on Computers and Accessibility (Orlando, Florida, USA) (ASSETS '10)*. Association for Computing Machinery, New York, NY, USA, 3–10. <https://doi.org/10.1145/1878803.1878807>
- [143] Cristina Manresa-Yee, Pere Ponsa, Javier Varona, and Francisco J Perales. 2010. User experience to improve the usability of a vision-based interface. *Interacting with Computers* 22, 6 (2010), 594–605.
- [144] Nuno Matos, António Santos, and Ana Vasconcelos. 2014. Kinteract: a multi-sensor physical rehabilitation solution based on interactive games. In *Proceedings of the 8th international conference on pervasive computing technologies for healthcare*. 350–353.

- [145] Sinziana Mazilu, Ulf Blanke, Moran Dorfman, Eran Gazit, Anat Mirelman, Jeffrey M. Hausdorff, and Gerhard Tröster. 2015. A Wearable Assistant for Gait Training for Parkinson’s Disease with Freezing of Gait in Out-of-the-Lab Environments. *ACM Trans. Interact. Intell. Syst.* 5, 1, Article 5 (March 2015), 31 pages. <https://doi.org/10.1145/2701431>
- [146] Mary L McHugh. 2012. Interrater reliability: the kappa statistic. *Biochemia medica* 22, 3 (2012), 276–282.
- [147] Christopher McMurrough, Shahina Ferdous, Alexandros Papangelis, Angie Boisselle, and Fillia Makedon Heracleia. 2012. A Survey of Assistive Devices for Cerebral Palsy Patients. In *Proceedings of the 5th International Conference on Pervasive Technologies Related to Assistive Environments* (Heraklion, Crete, Greece) (PETRA ’12). Association for Computing Machinery, New York, NY, USA, Article 17, 8 pages. <https://doi.org/10.1145/2413097.2413119>
- [148] Raphael Menges, Chandan Kumar, and Steffen Staab. 2019. Improving User Experience of Eye Tracking-Based Interaction: Introspecting and Adapting Interfaces. *ACM Trans. Comput.-Hum. Interact.* 26, 6, Article 37 (Nov. 2019), 46 pages. <https://doi.org/10.1145/3338844>
- [149] Katsumi Minakata, John Paulin Hansen, I. Scott MacKenzie, Per Bækgaard, and Vijay Rajanna. 2019. Pointing by Gaze, Head, and Foot in a Head-Mounted Display. In *Proceedings of the 11th ACM Symposium on Eye Tracking Research & Applications* (Denver, Colorado) (ETRA ’19). Association for Computing Machinery, New York, NY, USA, Article 69, 9 pages. <https://doi.org/10.1145/3317956.3318150>
- [150] Katsumi Minakata, Martin Thomsen, and John Paulin Hansen. 2018. Bicycles and Wheelchairs for Locomotion Control of a Simulated Telerobot Supported by Gaze- and Head-Interaction. In *Proceedings of the 11th Pervasive Technologies Related to Assistive Environments Conference* (Corfu, Greece) (PETRA ’18). Association for Computing Machinery, New York, NY, USA, 371–378. <https://doi.org/10.1145/3197768.3201573>
- [151] Emilie Møllenbach, Martin Lillholm, Alastair Gail, and John Paulin Hansen. 2010. Single Gaze Gestures. In *Proceedings of the 2010 Symposium on Eye-Tracking Research & Applications* (Austin, Texas) (ETRA ’10). Association for Computing Machinery, New York, NY, USA, 177–180. <https://doi.org/10.1145/1743666.1743710>
- [152] Kyle Montague, Vicki L. Hanson, and Andy Coble. 2012. Designing for Individuals: Usable Touch-Screen Interaction through Shared User Models. In *Proceedings of the 14th International ACM SIGACCESS Conference on Computers and Accessibility* (Boulder, Colorado, USA) (ASSETS ’12). Association for Computing Machinery, New York, NY, USA, 151–158. <https://doi.org/10.1145/2384916.2384943>
- [153] Kyle Montague, Hugo Nicolau, and Vicki L. Hanson. 2014. Motor-Impaired Touchscreen Interactions in the Wild. In *Proceedings of the 16th International ACM SIGACCESS Conference on Computers & Accessibility* (Rochester, New York, USA) (ASSETS ’14). Association for Computing Machinery, New York, NY, USA, 123–130. <https://doi.org/10.1145/2661334.2661362>
- [154] Dafne Zuleima Morgado Ramirez and Catherine Holloway. 2017. "But, I Don’t Want/Need a Power Wheelchair": Toward Accessible Power Assistance for Manual Wheelchairs. In *Proceedings of the 19th International ACM SIGACCESS Conference on Computers and Accessibility* (Baltimore, Maryland, USA) (ASSETS ’17). Association for Computing Machinery, New York, NY, USA, 120–129. <https://doi.org/10.1145/3132525.3132529>
- [155] Dafne Zuleima Morgado Ramirez and Catherine Holloway. 2017. "But, I Don’t Want/Need a Power Wheelchair": Toward Accessible Power Assistance for Manual Wheelchairs. In *Proceedings of the 19th International ACM SIGACCESS Conference on Computers and Accessibility* (Baltimore, Maryland, USA) (ASSETS ’17). Association for Computing Machinery, New York, NY, USA, 120–129. <https://doi.org/10.1145/3132525.3132529>
- [156] Carlos H. Morimoto, Jose A. T. Leyva, and Antonio Diaz-Tula. 2018. Context Switching Eye Typing Using Dynamic Expanding Targets. In *Proceedings of the Workshop on Communication by Gaze Interaction* (Warsaw, Poland) (COGAIN ’18). Association for Computing Machinery, New York, NY, USA, Article 6, 9 pages. <https://doi.org/10.1145/3206343.3206347>
- [157] Martez Mott, John Tang, Shaun Kane, Edward Cutrell, and Meredith Ringel Morris. 2020. "I Just Went into It Assuming That I Wouldn’t Be Able to Have the Full Experience": Understanding the Accessibility of Virtual Reality for People with Limited Mobility. In *The 22nd International ACM SIGACCESS Conference on Computers and Accessibility* (Virtual Event, Greece) (ASSETS ’20). Association for Computing Machinery, New York, NY, USA, Article 43, 13 pages. <https://doi.org/10.1145/3373625.3416998>
- [158] Martez E. Mott, Jane E., Cynthia L. Bennett, Edward Cutrell, and Meredith Ringel Morris. 2018. *Understanding the Accessibility of Smartphone Photography for People with Motor Impairments*. Association for Computing Machinery, New York, NY, USA, 1–12. <https://doi.org/10.1145/3173574.3174094>
- [159] Martez E. Mott, Radu-Daniel Vatavu, Shaun K. Kane, and Jacob O. Wobbrock. 2016. Smart Touch: Improving Touch Accuracy for People with Motor Impairments with Template Matching. In *Proceedings of the 2016 CHI Conference on Human Factors in Computing Systems* (San Jose, California, USA) (CHI ’16). Association for Computing Machinery, New York, NY, USA, 1934–1946. <https://doi.org/10.1145/2858036.2858390>
- [160] Martez E. Mott, Shane Williams, Jacob O. Wobbrock, and Meredith Ringel Morris. 2017. *Improving Dwell-Based Gaze Typing with Dynamic, Cascading Dwell Times*. Association for Computing Machinery, New York, NY, USA, 2558–2570. <https://doi.org/10.1145/3025453.3025517>
- [161] Martez E. Mott and Jacob O. Wobbrock. 2014. Beating the Bubble: Using Kinematic Triggering in the Bubble Lens for Acquiring Small, Dense Targets. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems* (Toronto, Ontario, Canada) (CHI ’14). Association for Computing Machinery, New York, NY, USA, 733–742. <https://doi.org/10.1145/2556288.2557410>
- [162] Martez E. Mott and Jacob O. Wobbrock. 2019. Cluster Touch: Improving Touch Accuracy on Smartphones for People with Motor and Situational Impairments. In *Proceedings of the 2019 CHI Conference on Human Factors in Computing Systems* (Glasgow, Scotland Uk)

- (CHI '19). Association for Computing Machinery, New York, NY, USA, 1–14. <https://doi.org/10.1145/3290605.3300257>
- [163] Brad A. Myers, Jacob O. Wobbrock, Sunny Yang, Brian Yeung, Jeffrey Nichols, and Robert Miller. 2002. Using Handhelds to Help People with Motor Impairments. In *Proceedings of the Fifth International ACM Conference on Assistive Technologies* (Edinburgh, Scotland) (*Assets '02*). Association for Computing Machinery, New York, NY, USA, 89–96. <https://doi.org/10.1145/638249.638266>
- [164] Maia Naftali and Leah Findlater. 2014. Accessibility in Context: Understanding the Truly Mobile Experience of Smartphone Users with Motor Impairments. In *Proceedings of the 16th International ACM SIGACCESS Conference on Computers & Accessibility* (Rochester, New York, USA) (*ASSETS '14*). Association for Computing Machinery, New York, NY, USA, 209–216. <https://doi.org/10.1145/2661334.2661372>
- [165] Alan F Newell and Peter Gregor. 1997. Human computer interfaces for people with disabilities. In *Handbook of human-computer interaction*. Elsevier, 813–824.
- [166] Alan F Newell and Peter Gregor. 1999. Extra-ordinary human-machine interaction: what can be learned from people with disabilities? *Cognition, Technology & Work* 1, 2 (1999), 78–85.
- [167] Alan F Newell and Peter Gregor. 2002. Design for older and disabled people – where do we go from here? *Universal Access in the Information Society* 2, 1 (2002), 3–7.
- [168] Alexander Ng, Stephen A Brewster, and John H Williamson. 2014. Investigating the effects of encumbrance on one-and two-handed interactions with mobile devices. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*. 1981–1990.
- [169] Jun Nishida and Kenji Suzuki. 2017. *BioSync: A Paired Wearable Device for Blending Kinesthetic Experience*. Association for Computing Machinery, New York, NY, USA, 3316–3327. <https://doi.org/10.1145/3025453.3025829>
- [170] Stéphane Norte and Fernando Graça Lobo. 2007. A Virtual Logo Keyboard for People with Motor Disabilities. In *Proceedings of the 12th Annual SIGCSE Conference on Innovation and Technology in Computer Science Education* (Dundee, Scotland) (*ITiCSE '07*). Association for Computing Machinery, New York, NY, USA, 111–115. <https://doi.org/10.1145/1268784.1268818>
- [171] Stéphane Norte and Fernando G. Lobo. 2008. Sudoku Access: A Sudoku Game for People with Motor Disabilities. In *Proceedings of the 10th International ACM SIGACCESS Conference on Computers and Accessibility* (Halifax, Nova Scotia, Canada) (*Assets '08*). Association for Computing Machinery, New York, NY, USA, 161–168. <https://doi.org/10.1145/1414471.1414502>
- [172] World Health Organization et al. 2011. *World report on disability 2011*. World Health Organization.
- [173] Isaac Paquette, Christopher Kwan, and Margrit Betke. 2011. Menu Controller: Making Existing Software More Accessible for People with Motor Impairments. In *Proceedings of the 4th International Conference on PErvasive Technologies Related to Assistive Environments* (Heraklion, Crete, Greece) (*PETRA '11*). Association for Computing Machinery, New York, NY, USA, Article 2, 8 pages. <https://doi.org/10.1145/2141622.2141625>
- [174] Alexander R Payne, Beryl Plimmer, Andrew McDaid, Andrew Luxton-Reilly, and T Claire Davies. 2016. Expansion Cursor: A Zoom Lens That Can Be Voluntarily Activated by the User at Every Individual Click. In *Proceedings of the 28th Australian Conference on Computer-Human Interaction* (Launceston, Tasmania, Australia) (*OzCHI '16*). Association for Computing Machinery, New York, NY, USA, 81–90. <https://doi.org/10.1145/3010915.3010942>
- [175] Diogo Pedrosa, Maria Da Graça Pimentel, Amy Wright, and Khai N. Truong. 2015. Filteredyping: Design Challenges and User Performance of Dwell-Free Eye Typing. *ACM Trans. Access. Comput.* 6, 1, Article 3 (March 2015), 37 pages. <https://doi.org/10.1145/2724728>
- [176] Yi-Hao Peng, Muh-Tarng Lin, Yi Chen, TzuChuan Chen, Pin Sung Ku, Paul Taele, Chin Guan Lim, and Mike Y. Chen. 2019. PersonalTouch: Improving Touchscreen Usability by Personalizing Accessibility Settings Based on Individual User's Touchscreen Interaction. In *Proceedings of the 2019 CHI Conference on Human Factors in Computing Systems* (Glasgow, Scotland UK) (*CHI '19*). Association for Computing Machinery, New York, NY, USA, 1–11. <https://doi.org/10.1145/3290605.3300913>
- [177] Dharani Perera, R. T. Jim Eales, and Kathy Blashki. 2008. Voice Art: A Novel Mode for Creating Visual Art. In *Proceedings of the 20th Australasian Conference on Computer-Human Interaction: Designing for Habitus and Habitat* (Cairns, Australia) (*OZCHI '08*). Association for Computing Machinery, New York, NY, USA, 211–218. <https://doi.org/10.1145/1517744.1517813>
- [178] J. Eduardo Pérez and Myriam Arrue. 2016. Virtual Cursors to Enhance Web Accessibility for People with Limited Dexterity: Usability Test Results and Future Directions. *SIGACCESS Access. Comput.* 115 (June 2016), 3–11. <https://doi.org/10.1145/2961108.2961109>
- [179] J Eduardo Pérez, Myriam Arrue, Xabier Valencia, and Julio Abascal. 2020. Longitudinal Study of Two Virtual Cursors for People With Motor Impairments: A Performance and Satisfaction Analysis on Web Navigation. *IEEE Access* 8 (2020), 110381–110396.
- [180] J. Eduardo Pérez, Myriam Arrue, Xabier Valencia, and Lourdes Moreno. 2014. Exploratory Study of Web Navigation Strategies for Users with Physical Disabilities. In *Proceedings of the 11th Web for All Conference* (Seoul, Korea) (*W4A '14*). Association for Computing Machinery, New York, NY, USA, Article 20, 4 pages. <https://doi.org/10.1145/2596695.2596715>
- [181] J. Eduardo Pérez, Xabier Valencia, Myriam Arrue, and Julio Abascal. 2016. A Usability Evaluation of Two Virtual Aids to Enhance Cursor Accessibility for People with Motor Impairments. In *Proceedings of the 13th Web for All Conference* (Montreal, Canada) (*W4A '16*). Association for Computing Machinery, New York, NY, USA, Article 20, 4 pages. <https://doi.org/10.1145/2899475.2899489>
- [182] Betsy Phillips and Hongxin Zhao. 1993. Predictors of assistive technology abandonment. *Assistive technology* 5, 1 (1993), 36–45.
- [183] Katrin Plaumann, Milos Babic, Tobias Drey, Witali Hepting, Daniel Stooss, and Enrico Rukzio. 2018. Improving Input Accuracy on Smartphones for Persons Who Are Affected by Tremor Using Motion Sensors. *Proc. ACM Interact. Mob. Wearable Ubiquitous Technol.* 1,

- 4, Article 156 (Jan. 2018), 30 pages. <https://doi.org/10.1145/3161169>
- [184] Ondrej Polacek, Zdenek Mikovec, Adam J. Sporka, and Pavel Slavik. 2011. Humsher: A Predictive Keyboard Operated by Humming. In *The Proceedings of the 13th International ACM SIGACCESS Conference on Computers and Accessibility* (Dundee, Scotland, UK) (ASSETS '11). Association for Computing Machinery, New York, NY, USA, 75–82. <https://doi.org/10.1145/2049536.2049552>
- [185] Alex Poole and Linden J Ball. 2006. Eye tracking in HCI and usability research. In *Encyclopedia of human computer interaction*. IGI Global, 211–219.
- [186] Andrew M Pope, Edward N Brandt Jr, et al. 1997. Enabling America: Assessing the role of rehabilitation science and engineering. (1997).
- [187] John R. Porter and Julie A. Kientz. 2013. An Empirical Study of Issues and Barriers to Mainstream Video Game Accessibility. In *Proceedings of the 15th International ACM SIGACCESS Conference on Computers and Accessibility* (Bellevue, Washington) (ASSETS '13). Association for Computing Machinery, New York, NY, USA, Article 3, 8 pages. <https://doi.org/10.1145/2513383.2513444>
- [188] Kathleen J. Price and Andrew Sears. 2009. The Development and Evaluation of Performance-Based Functional Assessment: A Methodology for the Measurement of Physical Capabilities. *ACM Trans. Access. Comput.* 2, 2, Article 10 (June 2009), 31 pages. <https://doi.org/10.1145/1530064.1530068>
- [189] Kathleen J. Price and Andrew Sears. 2009. The Development and Evaluation of Performance-Based Functional Assessment: A Methodology for the Measurement of Physical Capabilities. *ACM Trans. Access. Comput.* 2, 2, Article 10 (June 2009), 31 pages. <https://doi.org/10.1145/1530064.1530068>
- [190] Halley Profita, Reem Albaghli, Leah Findlater, Paul Jaeger, and Shaun K. Kane. 2016. *The AT Effect: How Disability Affects the Perceived Social Acceptability of Head-Mounted Display Use*. Association for Computing Machinery, New York, NY, USA, 4884–4895. <https://doi.org/10.1145/2858036.2858130>
- [191] Cynthia Putnam, Kathryn Wozniak, Mary Jo Zefeldt, Jinghui Cheng, Morgan Caputo, and Carl Duffield. 2012. How Do Professionals Who Create Computing Technologies Consider Accessibility?. In *Proceedings of the 14th International ACM SIGACCESS Conference on Computers and Accessibility* (Boulder, Colorado, USA) (ASSETS '12). Association for Computing Machinery, New York, NY, USA, 87–94. <https://doi.org/10.1145/2384916.2384932>
- [192] Akilesh Rajavenkatanarayanan, Varun Kanal, Konstantinos Tsiakas, Diane Calderon, Michalis Papakostas, Maher Abujelala, Marnim Galib, James C Ford, Glenn Wylie, and Fillia Makedon. 2019. A survey of assistive technologies for assessment and rehabilitation of motor impairments in multiple sclerosis. *Multimodal Technologies and Interaction* 3, 1 (2019), 6.
- [193] Guilherme M. A. Ramos, Raiza Hanada, Maria da Graça C. Pimentel, and César A. C. Teixeira. 2017. A Word-Prediction Eye-Typing Approach for Brazilian Portuguese Entries Using Geometric Movements. In *Proceedings of the 35th ACM International Conference on the Design of Communication* (Halifax, Nova Scotia, Canada) (SIGDOC '17). Association for Computing Machinery, New York, NY, USA, Article 35, 6 pages. <https://doi.org/10.1145/3121113.3121234>
- [194] Rajiv Ranganathan, Rui Wang, Rani Gebara, and Subir Biswas. 2017. Detecting Compensatory Trunk Movements in Stroke Survivors Using a Wearable System. In *Proceedings of the 2017 Workshop on Wearable Systems and Applications* (Niagara Falls, New York, USA) (WearSys '17). Association for Computing Machinery, New York, NY, USA, 29–32. <https://doi.org/10.1145/3089351.3089353>
- [195] Rafael Raya, Ramón Ceres, Javier O. Roa, and Eduardo Rocon. 2010. Assessment of the Involuntary Motion of Children with Motor Impairments to Improve the Accessibility of an Inertial Interface. In *Proceedings of the 9th International Conference on Interaction Design and Children* (Barcelona, Spain) (IDC '10). Association for Computing Machinery, New York, NY, USA, 128–137. <https://doi.org/10.1145/1810543.1810558>
- [196] Rafael Raya, E Rocon, R Ceres, and M Pajaro. 2012. A mobile robot controlled by an adaptive inertial interface for children with physical and cognitive disorders. In *2012 IEEE international conference on technologies for practical robot applications (TePRA)*. IEEE, 151–156.
- [197] Andreia Sias Rodrigues, Vinicius Kruger da Costa, Rafael Cunha Cardoso, Marcio Bender Machado, Marcelo Bender Machado, and Tatiana Aires Tavares. 2017. Evaluation of a Head-Tracking Pointing Device for Users with Motor Disabilities. In *Proceedings of the 10th International Conference on Pervasive Technologies Related to Assistive Environments* (Island of Rhodes, Greece) (PETRA '17). Association for Computing Machinery, New York, NY, USA, 156–162. <https://doi.org/10.1145/3056540.3056552>
- [198] Andreia Sias Rodrigues, A. S. Rodrigues, Marcelo Bender Machado, Ana Margarida Pisco Almeida, Jorge Ferraz de Abreu, and Tatiana Aires Tavares. 2019. Evaluation Methodologies of Assistive Technology Interaction Devices: A Participatory Mapping in Portugal Based on Community-Based Research. In *Proceedings of the 18th Brazilian Symposium on Human Factors in Computing Systems* (Vitória, Espírito Santo, Brazil) (IHC '19). Association for Computing Machinery, New York, NY, USA, Article 27, 9 pages. <https://doi.org/10.1145/3357155.3358458>
- [199] Yvonne Rogers, Kay Connelly, Lenore Tedesco, William Hazlewood, Andrew Kurtz, Robert E. Hall, Josh Hursey, and Tammy Toscos. 2007. Why it's worth the hassle: The value of in-situ studies when designing ubicomp. In *International Conference on Ubiquitous Computing*. Springer, 336–353.
- [200] Dagfinn Rømen and Dag Svanæs. 2008. Evaluating Web Site Accessibility: Validating the WAI Guidelines through Usability Testing with Disabled Users. In *Proceedings of the 5th Nordic Conference on Human-Computer Interaction: Building Bridges* (Lund, Sweden) (NordiCHI '08). Association for Computing Machinery, New York, NY, USA, 535–538. <https://doi.org/10.1145/1463160.1463238>

- [201] Lucas Rosenblatt, Patrick Carrington, Kotaro Hara, and Jeffrey P. Bigham. 2018. Vocal Programming for People with Upper-Body Motor Impairments. In *Proceedings of the Internet of Accessible Things* (Lyon, France) (*W4A '18*). Association for Computing Machinery, New York, NY, USA, Article 30, 10 pages. <https://doi.org/10.1145/3192714.3192821>
- [202] David Rozado, Jason Niu, and Martin Lochner. 2017. Fast Human-Computer Interaction by Combining Gaze Pointing and Face Gestures. 10, 3, Article 10 (Aug. 2017), 18 pages. <https://doi.org/10.1145/3075301>
- [203] Guarionex Salivia and Juan Pablo Hourcade. 2013. *PointAssist: Assisting Individuals with Motor Impairments*. Association for Computing Machinery, New York, NY, USA, 1213–1222. <https://doi.org/10.1145/2470654.2466157>
- [204] Javier San Agustin, Henrik Skovsgaard, Emilie Mollenbach, Maria Barret, Martin Tall, Dan Witzner Hansen, and John Paulin Hansen. 2010. Evaluation of a Low-Cost Open-Source Gaze Tracker. In *Proceedings of the 2010 Symposium on Eye-Tracking Research & Applications* (Austin, Texas) (*ETRA '10*). Association for Computing Machinery, New York, NY, USA, 77–80. <https://doi.org/10.1145/1743666.1743685>
- [205] Jörg Sander, Antoine de Schipper, Annette Brons, Svetlana Mironcika, Huub Toussaint, Ben Schouten, and Ben Kröse. 2017. Detecting Delays in Motor Skill Development of Children through Data Analysis of a Smart Play Device. In *Proceedings of the 11th EAI International Conference on Pervasive Computing Technologies for Healthcare* (Barcelona, Spain) (*PervasiveHealth '17*). Association for Computing Machinery, New York, NY, USA, 88–91. <https://doi.org/10.1145/3154862.3154867>
- [206] Elham Saraee, Saurabh Singh, Kathryn Hendron, Mingxin Zheng, Ajjen Joshi, Terry Ellis, and Margrit Betke. 2017. ExerciseCheck: Remote Monitoring and Evaluation Platform for Home Based Physical Therapy. In *Proceedings of the 10th International Conference on Pervasive Technologies Related to Assistive Environments* (Island of Rhodes, Greece) (*PETRA '17*). Association for Computing Machinery, New York, NY, USA, 87–90. <https://doi.org/10.1145/3056540.3064958>
- [207] Zhanna Sarsenbayeva, Jorge Goncalves, Juan Garcia, Simon Klakegg, Sirkka Rissanen, Hannu Rintamäki, Jari Hannu, and Vassilis Kostakos. 2016. Situational Impairments to Mobile Interaction in Cold Environments. In *Proceedings of the 2016 ACM International Joint Conference on Pervasive and Ubiquitous Computing* (Heidelberg, Germany) (*UbiComp '16*). ACM, New York, NY, USA, 85–96.
- [208] Zhanna Sarsenbayeva, Niels van Berkel, Danula Hettiachchi, Weiwei Jiang, Tilman Dinger, Eduardo Velloso, Vassilis Kostakos, and Jorge Goncalves. 2019. Measuring the Effects of Stress on Mobile Interaction. *Proc. ACM Interact. Mob. Wearable Ubiquitous Technol.* 3, 1, Article 24 (mar 2019), 18 pages. <https://doi.org/10.1145/3314411>
- [209] Zhanna Sarsenbayeva, Niels van Berkel, Weiwei Jiang, Danula Hettiachchi, Vassilis Kostakos, and Jorge Goncalves. 2019. Effect of Ambient Light on Mobile Interaction. In *Human-Computer Interaction – INTERACT 2019*, David Lamas, Fernando Loizides, Lennart Nacke, Helen Petrie, Marco Winckler, and Panayiotis Zaphiris (Eds.). Springer International Publishing, 465–475.
- [210] Zhanna Sarsenbayeva, Niels van Berkel, Chu Luo, Vassilis Kostakos, and Jorge Goncalves. 2017. Challenges of Situational Impairments during Interaction with Mobile Devices. In *Proceedings of the 29th Australian Conference on Computer-Human Interaction* (Brisbane, Queensland, Australia) (*OZCHI '17*). Association for Computing Machinery, New York, NY, USA, 477–481. <https://doi.org/10.1145/3152771.3156161>
- [211] Zhanna Sarsenbayeva, Niels van Berkel, Eduardo Velloso, Vassilis Kostakos, and Jorge Goncalves. 2018. Effect of Distinct Ambient Noise Types on Mobile Interaction. *Proc. ACM Interact. Mob. Wearable Ubiquitous Technol.* 2, 2, Article 82 (July 2018), 23 pages. <https://doi.org/10.1145/3214285>
- [212] Marcia J Scherer. 1996. Outcomes of assistive technology use on quality of life. *Disability and rehabilitation* 18, 9 (1996), 439–448.
- [213] Katie Seaborn, Jamal Edey, Gregory Dolinar, Margot Whitfield, Paula Gardner, Carmen Branje, and Deborah I. Fels. 2016. Accessible Play in Everyday Spaces: Mixed Reality Gaming for Adult Powered Chair Users. *ACM Trans. Comput.-Hum. Interact.* 23, 2, Article 12 (May 2016), 28 pages. <https://doi.org/10.1145/2893182>
- [214] Andrew Sears and Vicki Hanson. 2011. Representing Users in Accessibility Research. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems* (Vancouver, BC, Canada) (*CHI '11*). Association for Computing Machinery, New York, NY, USA, 2235–2238. <https://doi.org/10.1145/1978942.1979268>
- [215] Andrew Sears, Clare-Marie Karat, Kwesi Oseitutu, Azfar Karimullah, and Jinjuan Feng. 2001. Productivity, satisfaction, and interaction strategies of individuals with spinal cord injuries and traditional users interacting with speech recognition software. *Universal Access in the information Society* 1, 1 (2001), 4–15.
- [216] Andrew Sears, Mark Young, and Jinjuan Feng. 2003. *Physical disabilities and computing technologies: an analysis of impairments*. CRC Press. <http://doi.org/10.1201/9781410615862>.
- [217] Kristen Shinohara and Josh Tenenber. 2007. Observing Sara: A Case Study of a Blind Person's Interactions with Technology. In *Proceedings of the 9th International ACM SIGACCESS Conference on Computers and Accessibility* (Tempe, Arizona, USA) (*Assets '07*). Association for Computing Machinery, New York, NY, USA, 171–178. <https://doi.org/10.1145/1296843.1296873>
- [218] Kristen Shinohara and Jacob O Wobbrock. 2011. In the shadow of misperception: assistive technology use and social interactions. In *Proceedings of the SIGCHI conference on human factors in computing systems*. 705–714.
- [219] Ben Shneiderman. 2000. Universal Usability. *Commun. ACM* 43, 5 (May 2000), 84–91. <https://doi.org/10.1145/332833.332843>
- [220] Inês Santos Silva, João Guerreiro, Marlene Rosa, Joana Campos, Augusto Gil Pascoal, Sofia Pinto, and Hugo Nicolau. 2020. Investigating the Opportunities for Technologies to Enhance QoL with Stroke Survivors and Their Families. In *Proceedings of the 2020 CHI Conference on Human Factors in Computing Systems* (Honolulu, HI, USA) (*CHI '20*). Association for Computing Machinery, New York, NY, USA,

- 1–11. <https://doi.org/10.1145/3313831.3376239>
- [221] Leo Spalteholz, Kin Fun Li, Nigel Livingston, and Foad Hamidi. 2008. Keysurf: A Character Controlled Browser for People with Physical Disabilities. In *Proceedings of the 17th International Conference on World Wide Web* (Beijing, China) (WWW '08). Association for Computing Machinery, New York, NY, USA, 31–40. <https://doi.org/10.1145/1367497.1367502>
- [222] Adam J. Sporka, Sri H. Kurniawan, Murni Mahmud, and Pavel Slavik. 2006. Non-Speech Input and Speech Recognition for Real-Time Control of Computer Games. In *Proceedings of the 8th International ACM SIGACCESS Conference on Computers and Accessibility* (Portland, Oregon, USA) (Assets '06). Association for Computing Machinery, New York, NY, USA, 213–220. <https://doi.org/10.1145/1168987.1169023>
- [223] Constantine E. Steriadis and Philip Constantinou. 2003. Designing Human-Computer Interfaces for Quadriplegic People. *ACM Trans. Comput.-Hum. Interact.* 10, 2 (June 2003), 87–118. <https://doi.org/10.1145/772047.772049>
- [224] Constantine E. Steriadis and Philip Constantinou. 2003. Designing Human-Computer Interfaces for Quadriplegic People. *ACM Trans. Comput.-Hum. Interact.* 10, 2 (June 2003), 87–118. <https://doi.org/10.1145/772047.772049>
- [225] Robert D. Stevens and Alistair D. N. Edwards. 1996. An Approach to the Evaluation of Assistive Technology. In *Proceedings of the Second Annual ACM Conference on Assistive Technologies* (Vancouver, British Columbia, Canada) (Assets '96). Association for Computing Machinery, New York, NY, USA, 64–71. <https://doi.org/10.1145/228347.228359>
- [226] Kelly Tai, Stefanie Blain, and Tom Chau. 2008. A review of emerging access technologies for individuals with severe motor impairments. *Assistive technology* 20, 4 (2008), 204–221.
- [227] Nick Taylor, Keith Cheverst, Peter Wright, and Patrick Olivier. 2013. Leaving the Wild: Lessons from Community Technology Handovers. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems* (Paris, France) (CHI '13). Association for Computing Machinery, New York, NY, USA, 1549–1558. <https://doi.org/10.1145/2470654.2466206>
- [228] Harold Thimbleby. 1995. Treat people like computers. *Extraordinary People and Human-Computer Interaction* (1995), 283–295.
- [229] John C. Thomas and Wendy A. Kellogg. 1989. Minimizing ecological gaps in interface design. *IEEE Software* 6, 1 (1989), 78–86.
- [230] Feng Tian, Xiangmin Fan, Junjun Fan, Yicheng Zhu, Jing Gao, Dakuo Wang, Xiaojun Bi, and Hongan Wang. 2019. What Can Gestures Tell? Detecting Motor Impairment in Early Parkinson's from Common Touch Gestural Interactions. In *Proceedings of the 2019 CHI Conference on Human Factors in Computing Systems* (Glasgow, Scotland Uk) (CHI '19). Association for Computing Machinery, New York, NY, USA, 1–14. <https://doi.org/10.1145/3290605.3300313>
- [231] Shari Trewin. 2002. An Invisible Keyguard. In *Proceedings of the Fifth International ACM Conference on Assistive Technologies* (Edinburgh, Scotland) (Assets '02). Association for Computing Machinery, New York, NY, USA, 143–149. <https://doi.org/10.1145/638249.638275>
- [232] Shari Trewin. 2003. Automating Accessibility: The Dynamic Keyboard. In *Proceedings of the 6th International ACM SIGACCESS Conference on Computers and Accessibility* (Atlanta, GA, USA) (Assets '04). Association for Computing Machinery, New York, NY, USA, 71–78. <https://doi.org/10.1145/1028630.1028644>
- [233] Shari Trewin, Simeon Keates, and Karyn Moffatt. 2006. Developing Steady Clicks: A Method of Cursor Assistance for People with Motor Impairments. In *Proceedings of the 8th International ACM SIGACCESS Conference on Computers and Accessibility* (Portland, Oregon, USA) (Assets '06). Association for Computing Machinery, New York, NY, USA, 26–33. <https://doi.org/10.1145/1168987.1168993>
- [234] Keith Trnka, John McCaw, Debra Yarrington, Kathleen F. McCoy, and Christopher Pennington. 2009. User Interaction with Word Prediction: The Effects of Prediction Quality. *ACM Trans. Access. Comput.* 1, 3, Article 17 (Feb. 2009), 34 pages. <https://doi.org/10.1145/1497302.1497307>
- [235] Katherine Tsui, Holly Yanco, David Kontak, and Linda Beliveau. 2008. Development and Evaluation of a Flexible Interface for a Wheelchair Mounted Robotic Arm. In *Proceedings of the 3rd ACM/IEEE International Conference on Human Robot Interaction* (Amsterdam, The Netherlands) (HRI '08). Association for Computing Machinery, New York, NY, USA, 105–112. <https://doi.org/10.1145/1349822.1349837>
- [236] George Tzanetakis, Manjinder Singh Benning, Steven R. Ness, Darren Minifie, and Nigel Livingston. 2009. Assistive Music Browsing Using Self-Organizing Maps. In *Proceedings of the 2nd International Conference on Pervasive Technologies Related to Assistive Environments* (Corfu, Greece) (PETRA '09). Association for Computing Machinery, New York, NY, USA, Article 3, 7 pages. <https://doi.org/10.1145/1579114.1579117>
- [237] Koen van Turnhout, Arthur Bennis, Sabine Craenmehr, Robert Holwerda, Marjolein Jacobs, Ralph Niels, Lambert Zaad, Stijn Hoppenbrouwers, Dick Lenior, and René Bakker. 2014. Design Patterns for Mixed-Method Research in HCI. In *Proceedings of the 8th Nordic Conference on Human-Computer Interaction: Fun, Fast, Foundational* (Helsinki, Finland) (NordCHI '14). Association for Computing Machinery, New York, NY, USA, 361–370. <https://doi.org/10.1145/2639189.2639220>
- [238] Vero Vanden Abeele, Jan Wouters, Pol Ghesquière, Ann Goeleven, and Luc Geurts. 2015. Game-Based Assessment of Psycho-Acoustic Thresholds: Not All Games Are Equal!. In *Proceedings of the 2015 Annual Symposium on Computer-Human Interaction in Play* (London, United Kingdom) (CHI PLAY '15). Association for Computing Machinery, New York, NY, USA, 331–341. <https://doi.org/10.1145/2793107.2793132>
- [239] Gregg Vanderheiden. 2000. Fundamental Principles and Priority Setting for Universal Usability. In *Proceedings on the 2000 Conference on Universal Usability* (Arlington, Virginia, USA) (CUU '00). Association for Computing Machinery, New York, NY, USA, 32–37. <https://doi.org/10.1145/355460.355469>

- [240] Gregg C. Vanderheiden. 1998. Universal Design and Assistive Technology in Communication and Information Technologies: Alternatives or Complements? *Assistive Technology* 10, 1 (1998), 29–36. <https://doi.org/10.1080/10400435.1998.10131958> PMID: 10181148.
- [241] Radu-Daniel Vatavu and Ovidiu-Ciprian Ungurean. 2019. Stroke-Gesture Input for People with Motor Impairments: Empirical Results & Research Roadmap. In *Proceedings of the 2019 CHI Conference on Human Factors in Computing Systems* (Glasgow, Scotland Uk) (CHI '19). Association for Computing Machinery, New York, NY, USA, 1–14. <https://doi.org/10.1145/3290605.3300445>
- [242] Stephen Vickers, Howell Istance, and Aulikki Hyrskykari. 2013. Performing Locomotion Tasks in Immersive Computer Games with an Adapted Eye-Tracking Interface. *ACM Trans. Access. Comput.* 5, 1, Article 2 (Sept. 2013), 33 pages. <https://doi.org/10.1145/2514856>
- [243] B. N. Walker and L. M. Mauney. 2010. Universal Design of Auditory Graphs: A Comparison of Sonification Mappings for Visually Impaired and Sighted Listeners. *ACM Trans. Access. Comput.* 2, 3, Article 12 (March 2010), 16 pages. <https://doi.org/10.1145/1714458.1714459>
- [244] B. N. Walker and L. M. Mauney. 2010. Universal Design of Auditory Graphs: A Comparison of Sonification Mappings for Visually Impaired and Sighted Listeners. *ACM Trans. Access. Comput.* 2, 3, Article 12 (March 2010), 16 pages. <https://doi.org/10.1145/1714458.1714459>
- [245] T Winograd. 1997. The design of interaction. Beyond Calculation, The Next 50 Years of Computing. *Copernicus, New York* (1997), 149–161.
- [246] Jacob Wobbrock and Brad Myers. 2006. Trackball Text Entry for People with Motor Impairments. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems* (Montréal, Québec, Canada) (CHI '06). Association for Computing Machinery, New York, NY, USA, 479–488. <https://doi.org/10.1145/1124772.1124845>
- [247] Jacob O. Wobbrock. 2006. The future of mobile device research in HCI. In *CHI 2006 workshop proceedings: what is the next generation of human-computer interaction*. 131–134.
- [248] Jacob O. Wobbrock, James Fogarty, Shih-Yen (Sean) Liu, Shunichi Kimuro, and Susumu Harada. 2009. The Angle Mouse: Target-Agnostic Dynamic Gain Adjustment Based on Angular Deviation. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems* (Boston, MA, USA) (CHI '09). Association for Computing Machinery, New York, NY, USA, 1401–1410. <https://doi.org/10.1145/1518701.1518912>
- [249] Jacob O. Wobbrock and Krzysztof Z. Gajos. 2007. A Comparison of Area Pointing and Goal Crossing for People with and without Motor Impairments. In *Proceedings of the 9th International ACM SIGACCESS Conference on Computers and Accessibility* (Tempe, Arizona, USA) (Assets '07). Association for Computing Machinery, New York, NY, USA, 3–10. <https://doi.org/10.1145/1296843.1296847>
- [250] Jacob O. Wobbrock and Krzysztof Z. Gajos. 2008. Goal Crossing with Mice and Trackballs for People with Motor Impairments: Performance, Submovements, and Design Directions. *ACM Trans. Access. Comput.* 1, 1, Article 4 (May 2008), 37 pages. <https://doi.org/10.1145/1361203.1361207>
- [251] Jacob O. Wobbrock and Krzysztof Z. Gajos. 2008. Goal Crossing with Mice and Trackballs for People with Motor Impairments: Performance, Submovements, and Design Directions. *ACM Trans. Access. Comput.* 1, 1, Article 4 (May 2008), 37 pages. <https://doi.org/10.1145/1361203.1361207>
- [252] Jacob O. Wobbrock, Shaun K. Kane, Krzysztof Z. Gajos, Susumu Harada, and Jon Froehlich. 2011. Ability-Based Design: Concept, Principles and Examples. *ACM Trans. Access. Comput.* 3, 3, Article 9 (April 2011), 27 pages. <https://doi.org/10.1145/1952383.1952384>
- [253] Jacob O. Wobbrock and Brad A. Myers. 2006. From Letters to Words: Efficient Stroke-Based Word Completion for Trackball Text Entry. In *Proceedings of the 8th International ACM SIGACCESS Conference on Computers and Accessibility* (Portland, Oregon, USA) (Assets '06). Association for Computing Machinery, New York, NY, USA, 2–9. <https://doi.org/10.1145/1168987.1168990>
- [254] Jacob O. Wobbrock, Brad A. Myers, Htet Htet Aung, and Edmund F. LoPresti. 2003. Text Entry from Power Wheelchairs: Edgewrite for Joysticks and Touchpads. In *Proceedings of the 6th International ACM SIGACCESS Conference on Computers and Accessibility* (Atlanta, GA, USA) (Assets '04). Association for Computing Machinery, New York, NY, USA, 110–117. <https://doi.org/10.1145/1028630.1028650>
- [255] Jacob O. Wobbrock, Brad A. Myers, and Duen Horng Chau. 2006. In-Stroke Word Completion. In *Proceedings of the 19th Annual ACM Symposium on User Interface Software and Technology* (Montreux, Switzerland) (UIST '06). Association for Computing Machinery, New York, NY, USA, 333–336. <https://doi.org/10.1145/1166253.1166305>
- [256] Jacob O. Wobbrock, Brad A. Myers, and John A. Kembel. 2003. EdgeWrite: A Stylus-Based Text Entry Method Designed for High Accuracy and Stability of Motion. In *Proceedings of the 16th Annual ACM Symposium on User Interface Software and Technology* (Vancouver, Canada) (UIST '03). Association for Computing Machinery, New York, NY, USA, 61–70. <https://doi.org/10.1145/964696.964703>
- [257] Jacob O. Wobbrock, James Rubinstein, Michael W. Sawyer, and Andrew T. Duchowski. 2008. Longitudinal Evaluation of Discrete Consecutive Gaze Gestures for Text Entry. In *Proceedings of the 2008 Symposium on Eye Tracking Research & Applications* (Savannah, Georgia) (ETRA '08). Association for Computing Machinery, New York, NY, USA, 11–18. <https://doi.org/10.1145/1344471.1344475>
- [258] Momona Yamagami, Katherine M. Steele, and Samuel A. Burden. 2020. Decoding Intent With Control Theory: Comparing Muscle Versus Manual Interface Performance. In *Proceedings of the 2020 CHI Conference on Human Factors in Computing Systems* (Honolulu, HI, USA) (CHI '20). Association for Computing Machinery, New York, NY, USA, 1–12. <https://doi.org/10.1145/3313831.3376224>

- [259] Hanbin Zhang, Gabriel Guo, Emery Comstock, Baicheng Chen, Xingyu Chen, Chen Song, Jerry Ajay, Jeanne Langan, Sutanuka Bhattacharjya, Lora A Cavuoto, and Wenyao Xu. 2020. RehabPhone: A Software-Defined Tool Using 3D Printing and Smartphones for Personalized Home-Based Rehabilitation. In *Proceedings of the 18th International Conference on Mobile Systems, Applications, and Services* (Toronto, Ontario, Canada) (*MobiSys '20*). Association for Computing Machinery, New York, NY, USA, 434–447. <https://doi.org/10.1145/3386901.3389028>
- [260] Xiaoyi Zhang, Harish Kulkarni, and Meredith Ringel Morris. 2017. *Smartphone-Based Gaze Gesture Communication for People with Motor Disabilities*. Association for Computing Machinery, New York, NY, USA, 2878–2889. <https://doi.org/10.1145/3025453.3025790>
- [261] Xiaoyu (Amy) Zhao, Elias D. Guestrin, Dmitry Sayenko, Tyler Simpson, Michel Gauthier, and Milos R. Popovic. 2012. Typing with Eye-Gaze and Tooth-Clicks. In *Proceedings of the Symposium on Eye Tracking Research and Applications* (Santa Barbara, California) (*ETRA '12*). Association for Computing Machinery, New York, NY, USA, 341–344. <https://doi.org/10.1145/2168556.2168632>
- [262] Yu Zhong, Astrid Weber, Casey Burkhardt, Phil Weaver, and Jeffrey P. Bigham. 2015. Enhancing Android Accessibility for Users with Hand Tremor by Reducing Fine Pointing and Steady Tapping. In *Proceedings of the 12th Web for All Conference* (Florence, Italy) (*W4A '15*). Association for Computing Machinery, New York, NY, USA, Article 29, 10 pages. <https://doi.org/10.1145/2745555.2747277>